REMINGTON

SPORTING
FIREARMS
AMMUNITION
TRAPS
TARGETS

TABLE OF CONTENTS

THE COVER — *reproduced from an original painting by Bob Kuhn, well known wildlife and outdoor artist.*

REMINGTON FIREARMS

	Pages
SHOTGUNS	
Automatic Model 1100	4, 5
Automatic Model 11-48	6, 7
Pump Action Model 870 "Wingmaster"	8, 9
Shotgun Facts	10
CENTER FIRE RIFLES	
Automatic Model 742 "Woodsmaster"	12
Pump Action Model 760 "Gamemaster"	13
Bolt Action Model 700	14
Bolt Action Model 600	15
LONG RANGE PISTOL	
Bolt Action Model XP-100	16
RIM FIRE RIFLES	
Automatic Nylon 66	18
Lever Action Nylon 76	18
Bolt Action Nylon 10, 11, 12	18
Bolt Action Models 510X, 511X, 512X, 514	19
Automatic Model 552 "Speedmaster"	20
Automatic Model 550	20
Pump Action Model 572 "Fieldmaster"	21
TARGET RIFLES	
Bolt Action Model 40XB "Rangemaster"	22, 23
Bolt Action Model 513T "Matchmaster"	22, 23
Bolt Action Model 521T	22, 23
Bolt Action International Free Rifle	22, 23
REMINGTON NEW GUNS	24
REMINGTON HIGH GRADE GUNS	25

REMINGTON AMMUNITION

CENTER FIRE BULLETS "CORE-LOKT"	27
CENTER FIRE RIFLE CARTRIDGES	28-35
CENTER FIRE PISTOL & REVOLVER CARTRIDGES	34-37
PISTOL & REVOLVER BULLET TYPES	38
SHOTGUN SHELLS	40-43
SUGGESTED SHOT SIZES FOR GAME	44
RIM FIRE CARTRIDGES	45, 46

REMINGTON TRAPS

TRAP AND SKEET EQUIPMENT	47

REMINGTON SHOTGUNS



Remington

DU PONT

REMINGTON MODEL 1100 AUTOMATIC SHOTGUN

Large 5-Shot Capacity In 12, 16 and 20 Gauges

Up to 55% Less Recoil than Fixed-Action Guns

Shooters throughout the country have made the new Remington Model 1100 the "most popular" — "most wanted" automatic shotgun . . . and for good reasons, too. For example, duck and goose shooters, dove and quail hunters; gunners who swung the 1100 on pheasants and small game all last season tell us:

"It works, never jammed on me once, and I hunted every weekend."

"Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in doubles, too; for the trap shooter, skeet shooter and the hunter. Where that second shot counts — you can count on the Model 1100.

"Finish is good — stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun" — is a typical comment. And no wonder — with its fine-lined checkering, DuPont RKW finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Shooters are proud of this gun, in the field, and in their gun rack. You'll be too. Your dealer's got 'em in 12, 16, and 20 gauges, with both plain and ventilated rib barrels.

MODEL 1100 (shown with ventilated rib barrel)
12, 16, and 20 Gauges

12 GAUGE ONLY

Gas operation soaks up recoil . . . cushions and smooths. And less recoil means less fatigue . . . higher scores.

MODEL 1100 TB
Trap Gun

SPECIFICATIONS: Better grade wood, rubber recoil pad. Special stock dimensions: 14⅜" long including recoil pad, 1¾" drop at heel, 1⅜" drop at comb. Available in 28" and 30" full choke and 28" modified choke, ventilated rib barrels only. Ivory bead front sight, white metal rear sight. *Weight:* about 8¼ lbs.

12, 20 GAUGE

Perfect balance, excellent pointing and fast swinging qualities make this gun a target buster wherever it is used. Light recoil is easy on the shoulder, too.

MODEL 1100 SA
Skeet Gun

SPECIFICATIONS: (SB grade has better walnut) 26" barrel, Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 2½" drop at heel, 1½" drop at comb. *Weight:* about 7½ lbs.

12, 20 GAUGE
(shown with ventilated rib barrel)

Built for the high flyers — reaches out and drops 'em.

MODEL 1100 MAGNUM
Duck Gun

SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 2¾" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 2½" drop at heel, 1½" drop at comb. Furnished with recoil pad. *Weight:* about 7¾ lbs.

SPECIFICATIONS

STYLE	5 shot gas operated shotgun.
GAUGE	Made in 12, 16 and 20 gauge.
BARREL	Special Remington proof steel. Extra barrel is interchangeable within gauge.
OVER-ALL LENGTH	48" (with 28" Barrel).
SAFETY	Convenient cross-bolt type.
RECEIVER	Made from solid steel, top matted, scroll work on bolt and both sides of receiver.
STANDARD STOCK DIMENSIONS	Stock and fore-end: Rich American walnut. 14" long, 2½" drop at heel, 1½" drop at comb.
AVERAGE WEIGHT	12 ga. - 7½ lbs.; 16 ga. - 7¼ lbs., 20 ga. - 7 lbs.

FEATURES THAT MAKE THE MODEL 1100 NEW — DIFFERENT — BETTER

CUSTOM CHECKERING on stock and fore-end . . . fleur-de-lis design. Checkering is fine-lined, uniform, good looking.

TEAR DROP PISTOL GRIP with attractive white diamond inlay provides a natural, non-slip, comfortable grip.

FORE-END has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

DISTINCT WHITE SPACERS on butt plate and grip cap add attractiveness.

NEW METAL FINISH looks better, wears better . . . because the metal is more highly polished.

BIG 5-SHOT CAPACITY — Easy to load. Four in magazine . . . one in chamber. Three-shot plug furnished.

NEEDS NO ADJUSTMENT — Performs perfectly for different loads; automatically — Shoots high base, low base, 2¾" magnum shells without adjustment.

QUICK-CHANGE BARRELS — They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game, targets, sport.

FASTEST LOADING — Drop a shell in the breech; load another in the magazine in one motion. Load five shells in five seconds.

LIGHTEST RECOIL — Gas action tames recoil; it smooths and cushions . . . and with no loss of power.

RK-W PROTECTIVE FINISH — New DuPont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

STEEL RECEIVER is made from a solid block of steel for extra strength, ruggedness, dependability.

AVAILABLE IN MAGNUM MODEL — Chambered for 3" magnum shells. Uses 2¾" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

DECORATIVE SCROLL WORK on receiver and bolt adds real beauty and value to this gun.

SELF CLEANING — The gas operation of this gun is unusual. It blows dirt and grime away, keeps action bright and shining for long periods of time.

SUPREME DEPENDABILITY — Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market.

BALANCE AND WEIGHT are just right, only 7½ lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver . . . not a "featherweight floater" that's too light to point right.

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos. 12 Ga.	16 Ga.	20 Ga.	Retail Prices*
Model 1100 with Plain Barrel				
30" Full Choke	5322			
28" Full Choke	5320	5370	5390	
28" Mod. Choke	5326	5374	5394	$149.95
26" Mod. Choke	5324	5372	5392	
26" Imp. Cyl. Choke	5328	5376	5396	
Model 1100 with Vent. Rib Barrel				
30" Full Choke	5332			
28" Full Choke	5330	5378	5398	
28" Mod. Choke	5336	5382	5402	174.95
26" Mod. Choke	5334	5380	5400	
26" Imp. Cyl. Choke	5338	5384	5404	
Model 1100 Magnum with Plain Barrel				
30" Full Choke	5344			164.95
28" Full Choke	5342		5428	
Model 1100 Magnum with Vent. Rib Barrel				
30" Full Choke	5348			189.95
28" Full Choke	5346		5430	
Model 1100 SA Skeet with Vent. Rib Barrel				
26" Skeet Choke	5356		5408	179.95
26" with Cutts Comp.	5358		5410	204.45
Model 1100 SB with Vent. Rib Barrel (Better Wood)				
26" Skeet Choke	5302		5422	204.95
26" with Cutts Comp.	5304		5424	229.45
Model 1100 TB Trap with Vent. Rib Barrel				
30" Full Choke	5350			
28" Full Choke	5352			214.95
28" Mod. Choke	5354			
Model 1100 D with Vent. Rib Barrel	Special			550.00
Model 1100 F with Vent Rib Barrel	Special			1,050.00
Extra Barrels, Plain				
30" Full Choke	9500			
28" Full Choke	9502	9530	9546	
28" Mod. Choke	9504	9532	9548	45.45
26" Mod. Choke	9506	9534	9550	
26" Imp. Cyl. Choke	9508	9536	9552	
Extra Barrels, Vent. Rib				
30" Full Choke	9512			
28" Full Choke	9514	9538	9554	
28" Mod. Choke	9516	9540	9556	68.15
26" Mod. Choke	9518	9542	9558	
26" Imp. Cyl. Choke	9520	9544	9560	
Extra Barrels, Vent. Rib SA & SB Skeet Grades				
26" Skeet Choke	9522		9562	72.40
26" with Cutts Comp.	9524		9564	94.47
Extra Barrels, Vent. Rib TB Trap				
30" Full Choke	9526			
28" Full Choke	9528			72.40
28" Mod. Choke	9566			

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

REMINGTON MODEL 11-48 AUTOMATIC SHOTGUN

Only Automatic made in All 5 Gauges 12, 16, 20, 28 and 410

The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!

It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.

Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering, receiver milled from a solid block of steel, rich American Walnut stock and fore-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base, rifled slugs and standard length magnum shells . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" — to last!



MODEL 11-48 (shown with ventilated rib barrel)
In 12, 16, 20, 28 and 410 gauges



MODEL 11-48 SA
Skeet Gun
Available in 12, 20, 28 and 410 gauges
(410 gauge shown above)

The 11-48 is available in a skeet model in 12, 20, 28 and 410 gauges and is the only automatic shotgun made in 28 and 410 gauges. It's a great favorite with skeet shooters who demand supreme dependability in the guns they shoot. The Model 11-48 has everything the skeet shooter wants . . . fine balance, excellent pointing qualities, ruggedness . . . plus many other features that all add up to higher scores.

SPECIFICATIONS: 26″ barrel (25″ on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14″ long, 2½″ drop at heel, 1⅝″ drop at comb. 28 and 410 gauges, 13⅞″ long, 2⅝″ drop at heel, 1⅝″ drop at comb. Weight: 12 ga. — 7¼ lbs., 20 ga. — 6½ lbs., 28 and 410 ga. — 6¼ lbs.

USE NUMBERS FOR EASY, ACCURATE ORDERING

At the National Skeet Championships and at local shoots, the Remington Model 11-48 is a standout. It's the only automatic made in 28 and 410 gauges; skeet shooters like it because of its fine balance, excellent pointing qualities and dependability.

	Order Nos. 12 Ga.	16 Ga.	20 Ga.	28 Ga.	410 Ga.	Retail Prices*
Model 11-48 with Plain Barrel						
30" Full Choke	4700					
28" Full Choke	4702	4742	4774			
25" Full Choke				4802	4828	
28" Mod. Choke	4704	4744	4776			$134.95
25" Mod. Choke				4804	4830	
26" Imp. Cyl. Choke	4706	4746	4778			
25" Imp. Cyl. Choke				4806	4832	
Model 11-48 with Vent. Rib Barrel						
30" Full Choke	4710					
28" Full Choke	4712	4748	4780			
25" Full Choke				4808	4834	
28" Mod. Choke	4714	4750	4782			159.95
25" Mod. Choke				4810	4836	
26" Imp. Cyl. Choke	4716	4752	4784			
25" Imp. Cyl. Choke				4812	4838	
Model 11-48 SA with Vent. Rib Barrel						
25" Skeet Choke				4814	4840	164.95
25" with Cutts Comp.				4816	4842	189.45
26" Skeet Choke	4722		4788			164.95
26" with Cutts Comp.	4726		4790			189.45
Extra Barrels, Plain						
30" Full Choke	6150					
28" Full Choke	6152	6168	6522			
25" Full Choke				6190	6362	
28" Mod. Choke	6154	6170	6180			44.35
25" Mod. Choke				6192	6204	
26" Imp. Cyl. Choke	6156	6172	6182			
25" Imp. Cyl. Choke				6194	6206	
Extra Barrels, Vent. Rib						
30" Full Choke	6158					
28" Full Choke	6160	6174	6184			
25" Full Choke				6196	6208	
28" Mod. Choke	6162	6176	6186			66.50
25" Mod. Choke				6198	6210	
26" Imp. Cyl. Choke	6164	6178	6188			
25" Imp. Cyl. Choke				6200	6212	
Extra Barrels, Vent Rib (Skeet)						
25" Skeet Choke				6202	6594	70.65
25" with Cutts Comp.				6560	6524	92.72
26" Skeet Choke	6476		6480			70.65
26" with Cutts Comp.	6484		6486			92.72

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

SPECIFICATIONS

STYLE	5 shot automatic shotgun — 4 shot in 28 and 410 gauges.
GAUGES	12, 16, 20, 28 and 410. (3" chamber in 410 ga.)
BARREL	Special Remington proof steel — extra barrel interchangeable within gauge.
OVER-ALL LENGTH	48½" with 28" barrel
SAFETY	Convenient cross-bolt type, positive.
RECEIVER	Made from solid steel, top matted.
STANDARD STOCK DIMENSIONS	Stock and fore-end: Rich American walnut. 12, 16, 20 ga. — 14" long, 2½" drop at heel, 1⅝" drop at comb. 28 and 410 ga. — 13⅞" long, 2⅝" drop at heel, 1⅝" drop at comb.
AVERAGE WEIGHT	12 ga. - 7¼ lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.; 28 ga. - 6¼ lbs.; 410 ga. - 6¼ lbs.

REMINGTON MODEL 870 PUMP ACTION SHOTGUN

Receiver Machined from Solid Steel In 12, 16 and 20 Gauges

Time for a new pump gun? If it is — and you're looking . . . we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist — a gun that's got twin action bars and pumps like a ball-bearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds — right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy — anyone can do it.

Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering, rich American Walnut stock and fore-end, full beavertail and fluting on fore-end, high-gloss wood finish and decorative grip cap. A Remington 870 pump is one of the best investments you can make in shooting enjoyment — for yourself — as a gift — or some day as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.

MODEL 870 (shown with ventilated rib barrel)
In 12, 16 and 20 gauges

12 GAUGE ONLY

"WINGMASTER" MODEL 870 TC
Trap Gun

The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun!

SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14⅜" long including recoil pad, 1⅞" drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely checkered stock and fore-end. Hand fitted action and parts. Will furnish made to order stock lengths from 13½" to 14¾" on Model 870 TC only, without extra charge. *Weight*: about 8 lbs. This model also available in TB grade 14⅜" stock only, lower price.

"WINGMASTER" MODEL 870 SA
Skeet Gun

The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering.

SPECIFICATIONS: (12 and 20 Gauges) *26" barrel. Remington Special Skeet Boring* Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 1⅝" drop at comb. *Weight*: 12 gauge about 7 lbs., 20 gauge about 6½ lbs.

12 GAUGE, WITH RIFLE SIGHT BARREL

"BRUSHMASTER" MODEL 870
Deer Gun

The Model 870 "Brushmaster," made specially to handle rifled slugs and buck shot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer.

12 AND 20 GAUGES

"WINGMASTER" MODEL 870 MAGNUM
Duck Gun
(shown with ventilated rib barrel)

Rugged and dependable for long range shooting! For geese and ducks.

SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells —, will also handle 2¾" shells. Variweight and wood 3 shot plug. 12 ga. with 28" and 30" full choke, plain or vent. rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 1⅝" drop at comb. 20 ga. furnished in 28" full choke vent. rib and plain barrels. *Weight*: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.

SPECIFICATIONS

STYLE	5 shot pump action shotgun. Take down.
GAUGES	12, 16 and 20.
BARREL	Special Remington proof steel. Extra barrel is interchangeable within gauge.
OVER-ALL LENGTH	48½" with 28" barrel.
SAFETY	Convenient cross-bolt type, positive.
RECEIVER	Made from solid steel, top matted.
STANDARD STOCK DIMENSIONS	Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, 2½" drop at heel, 1⅝" drop at comb.
AVERAGE WEIGHT	12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.

QUICK CHANGE BARRELS — Change them in seconds, right in the field. No factory fitting or special tools required. Use one gun for all your shotgun shooting and get more game, targets, sport.

GOOD DESIGN — Barrel is made with a hardened extension into which the breech block must lock before firing. Result . . . longer life, less wear, constant head space.

DOUBLE ACTION BARS prevent twisting and binding, give smooth gliding action for which Remington "Wingmaster" is famous. Many shooters say it works like a ball bearing action. And they're right!

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos. 12 Ga.	16 Ga.	20 Ga.	Retail Prices*
Model 870 with Plain Barrel				
30" Full Choke	4860			
28" Full Choke	4862	5020	5102	
28" Mod. Choke	4864	5022	5104	$ 99.95
26" Mod. Choke	5014	5080	5098	
26" Imp. Cyl. Choke	4866	5024	5106	
20" "Brushmaster" Rifle Sight Barrel	4988			119.95
Model 870 with Vent. Rib Barrel				
30" Full Choke	4890			
28" Full Choke	4892	5038	5122	
28" Mod. Choke	4894	5040	5124	124.95
26" Mod. Choke	4858	5192	5178	
26" Imp. Cyl.	4896	5042	5126	
Model 870 Magnum with Plain Barrel				
30" Full Choke	4872			119.95
28" Full Choke	5010		5176	
Model 870 Magnum with Vent. Rib Barrel				
30" Full Choke	4922			144.95
28" Full Choke	5012		5146	
Model 870 R Plain				
20" Riot Cyl. Choke	4870			89.95
Model 870 R Rifle Sights				
20" Imp. Cyl. Choke	4856			99.95
Model 870 SA with Vent. Rib Barrel				
26" Skeet Choke	4944		5150	129.95
26" with Cutts Comp.	4946		5152	154.45
Model 870 SC with Vent. Rib Barrel				
26" Skeet Choke	4952		5158	194.95
26" with Cutts Comp.	4954		5160	219.45
Model 870 TB with Vent. Rib Barrel				
30" Full Choke	4926			
28" Full Choke	4928			164.95
28" Mod. Choke	4930			
Model 870 TC with Vent. Rib Barrel				
30" Full Choke	4938			
28" Full Choke	4940			224.95
28" Mod. Choke	4942			
Model 870 D with Vent. Rib Barrel	Special			525.00
Model 870 F with Vent. Rib Barrel	Special			1,025.00
Plain Barrel				
30" Full Choke	6214			
28" Full Choke	6216	6252	6270	
28" Mod. Choke	6218	6254	6272	
26" Mod. Choke	6328	6332	6334	35.70
26" Imp. Cyl. Choke	6220	6256	6274	
20" Riot Cyl. Choke	6598			
20" With Rifle Sights	6544			46.10
Vent. Rib Barrel				
30" Full Choke	6222			
28" Full Choke	6224	6258	6276	
28" Mod. Choke	6226	6260	6278	58.75
26" Mod. Choke	6318	6316	6320	
26" Imp. Cyl. Choke	6228	6262	6280	
26" Skeet SA & SC Grades	6240		6508	61.55
26" SA & SC with Cutts Comp.	6450		6456	83.62
TB & TC Grade Vent. Rib Barrel				
30" Full Choke	6242			
28" Full Choke	6244			61.55
28" Mod. Choke	6246			

*Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.



GAUGES, CHOKES and BARRELS

GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:

SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 2¾" shell measures about 2½" to 2⅝" before it is fired, but 2¾" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 2¾" chamber will thus handle shells of the proper gauge up to 2¾" length.

PATTERN — Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE — Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

CHOKES	% at 40 yards in 30" circle
Full Choke	70
Modified Choke	60
Improved Cylinder	50
Cylinder	40

CHOKE USES — A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.

Full Choke ..... ducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting.

Modified Choke ..... rabbit, woodcock, doves, squirrels, also all-round usefulness including ducks, quail, etc.

Improved Cylinder, Special Skeet ..... quail, grouse, partridge, rail, skeet shooting, guard duty, riot, rifled slugs.

BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.

REMINGTON CENTER FIRE RIFLES

Remington

DUPONT

REMINGTON MODEL 742 "WOODSMASTER" AUTOMATIC BIG GAME RIFLE

The Most Powerful Automatic Big Game Rifle

IF YOU'RE AN AUTOMATIC FAN . . . then the 742 "Woodsmaster" is your gun. There's meat in camp whenever you're shooting the Remington Model 742 Automatic . . . the modern rifle that's built for speed and power. You're packing a ton and a half of muzzle energy in the world's most powerful automatic hunting rifle — the only one that handles the pile-driving force of that All-American 30/06 Springfield cartridge (available in 9 bullet weights and styles for every kind of American game from woodchucks to grizzlies). Fast, gas-operated action soaks up recoil. No tooth-rattling "kick", no loss of power and almost no muzzle whip. That's why you're back on target before your trigger finger can squeeze off a second shot. The 742 Automatic lets you concentrate on aiming and not on working the action. In fact, this modern light weight Remington powerhouse actually reloads itself faster than you can shoot! Doubt it? Try it yourself the next time that big buck busts out of the brush. Model 742 "Woodsmaster" is available in 30/06 Springfield, 280 Remington, 308 and 6 m/m Remington. If you hunt in heavy brush country, you'll be interested in the short barrel carbine model, in 30/06 and 308 calibers. Both regular and carbine models have the new custom fine line checkering.



EXTRA STRONG, DEPENDABLE. Solid steel receiver, rotary multiple-lug breech lock, and high strength barrel breech ring make Model 742 extra strong, safe, dependable . . . allow it to be chambered for super powerful calibers like the 30-06.

FAST, EASY LOADING, Interchangeable — 4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.

AMAZING "POWER-MATIC" ACTION — works on jet airplane principle. Gas moves rearward to operate action. "Jet" effect forces rifle forward—softens recoil with no power loss!

ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely. Insures constant head space. Same exclusive design as on famous Remington Model 760 "Gamemaster."

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos.	Retail Prices*
Model 742 6MM Remington 280 Remington 30/06 308 Win.	9650 9652 9654 9656	$ 149.95
Model 742 Carbine 30/06 308 Win.	9662 9664	149.95
Model 742 D "Peerless" Grade	Spec.	575.00
Model 742 F "Premier" Grade	Spec.	1,050.00
Sling Strap & Swivels (installed)	6442	8.00
Extra 4-Shot Clip	Specify Caliber	4.50

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

SPECIFICATIONS

CALIBERS	6 m/m Rem., 280 Rem., 30-06, 308 Win. Carbine: 30-06 and 308 Win.
CAPACITY	4 in clip magazine plus one in chamber.
BARREL LENGTH	22" — Carbine 18½"
OVER-ALL LENGTH	42" — Carbine 38½"
STANDARD STOCK DIMENSIONS	Stock and fore-end: rich American walnut. 13½" length of pull, 2¼" drop at heel, 1¾" drop at comb.
RECEIVER	Drilled and tapped for 'scope mounts. Removable clip magazine.
SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	About 7½ lbs. — Carbine 7¼ lbs.

Fast Handling, Accurate Big Game Rifle

REMINGTON MODEL 760 "GAMEMASTER" PUMP ACTION BIG GAME RIFLE

IF YOU'RE A PUMP GUN MAN . . . used to shooting a pump action shotgun, then the Remington Model 760 is the gun you'll want. You'll stop 'em and drop 'em if you're carrying a light weight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made that's chambered for the popular and powerful 30/06 Springfield cartridge. Five lightning-fast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth — so fast and effortless, shooters say it works like a "ball-bearing" action. An extra loaded clip magazine in your pocket means you can reload in seconds . . . you've reserve fire power at your fingertips. The Model 760 "Gamemaster" is another member of the Remington family of modern guns — rugged, dependable, trouble-free with the famous rotary multi-lug bolt for extra strength. Custom, fine line checkering make it a standout in any gun rack. Another modern Remington gun "that's better — because it's made better" . . . in six powerful calibers: 223 Remington, 280 Remington, 270, 30/06, 308, 35 Remington. Also made in a carbine model in 35 Remington, 30/06 and 308 calibers.

AMAZING ACCURACY—Free floating barrel gives the kind of accuracy that means meat on the table, more first-shot hits.

EXCEPTIONAL TRIGGER MECHANISM. No backlash, drag or creep. Convenient, positive cross-bolt safety.

LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ball-bearing action.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature.

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos.	Retail Prices*
Model 760		
223 Remington (5.56MM)	9690	
270 Win.	9680	
280 Remington	9682	$129.95
30/06	9684	
308 Win.	9686	
35 Remington	9688	
Model 760 Carbine		
30/06	9700	
308 Win.	9702	129.95
35 Remington	9696	
Model 760 D "Peerless" Grade	Spec.	575.00
Model 760 F "Premier" Grade	Spec.	1,050.00
Sling Strap & Swivels (installed)	6444	8.00
Extra 4-Shot Clip	Specify Caliber	3.90

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

SPECIFICATIONS

CALIBERS	280 Rem., 270 Win., 30-06, 308 Win., 35 Rem., 223 Rem. Carbine: 30-06, 308 Win., 35 Rem.
CAPACITY	4 in clip magazine plus one in chamber except 223 Rem. (5 in clip).
BARREL LENGTH	22" — Carbine 18½"
OVER-ALL LENGTH	42" — Carbine 38½"
STANDARD STOCK DIMENSIONS	Stock and fore-end: rich American walnut. 13½" length of pull, 2¼" drop at heel, 1¾" drop at comb.
RECEIVER	Drilled and tapped for 'scope mounts. Removable clip magazine.
SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	About 7½ lbs. — Carbine 7¼ lbs.

REMINGTON MODEL 700 BOLT ACTION CENTER FIRE RIFLE

World's Most Wanted Bolt Action Rifle in 13 Calibers

Deluxe

Custom Deluxe

WORLD'S STRONGEST BOLT ACTION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.

BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.

When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. Now our sales records have proven it again. Since its introduction, shooters have bought more Remington Model 700's than any other center fire bolt action rifle on the market in its price class. And their reasons for buying make good sense. For example:

The Remington 700 bolt action is designed for the real rifleman. *The shooter* who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. *The hunter* who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. *The craftsman* who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant — gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 13 popular calibers.

SPECIFICATIONS

CALIBERS 700 ADL	222 Rem., 222 Rem. Mag., 6 m/m Rem., 243 Win., 264 Win. Mag., 270 Win., 7 m/m Rem. Mag., 280 Rem., 30-06, 308 Win.
700 BDL	All above plus 300 Win. Mag., 375 H&H Mag., 458 Win. Mag.
CAPACITY	Six — 222 Rem., 222 Rem. Mag. Five — 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. Four — 264 Win. Mag., 7 m/m Rem. Mag., 300 Win. Mag., 375 H&H Mag., 458 Win. Mag.
BARREL LENGTH	22" — 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" — 222 Rem., 222 Rem. Mag. 24" — (Stainless Steel Barrel) 7 m/m Rem. Mag., 300 Win. Mag., 264 Win. Mag. 26" — 375 H&H Mag., 458 Win. Mag.
OVER-ALL LENGTH	41⅝" — 6 m/m Rem., 243 Win., 308 Win. 42½" — 270 Win., 280 Rem., 30-06. 42¾" — 222 Rem., 222 Rem. Mag. 43⅝" — 7 m/m Rem. Mag., 300 Win. Mag., 264 Win. Mag. (includes recoil pad). 46⅜" — 375 H&H Mag., 458 Win. Mag. (includes recoil pad)
STANDARD STOCK DIMENSIONS	Stock: American walnut, BDL grade includes sling strap & swivels. 13⅜" length of pull, 2⅝" drop at heel, 1 11/16" drop at comb (from open sight line) checkered.
RECEIVER 700 ADL 700 BDL	Drilled and tapped for scope mounts. Fixed magazine. Same as ADL plus hinged floor plate.
SIGHTS	Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw.
SAFETY	Positive thumb type.
WEIGHT	6¾ lbs. — 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 7 lbs. — 222 Rem., 222 Rem. Mag. 7¾ lbs. — 7 m/m Rem. Mag., 300 Win. Mag., and 264 Win. Mag. 9 lbs. — 375 H&H Mag., 458 Win. Mag.

USE NUMBERS FOR EASY, ACCURATE ORDERING

Model 700		700 ADL Order Nos.	700 ADL Retail Prices*	700 BDL Order Nos.	700 BDL Retail Prices*
222 Remington		5950	$119.95	6024	$144.95
222 Remington Mag.		5958		6032	
6M/M Remington		5942		6018	
243 Win.		6044		6034	
270 Win.		5948		6022	
280 Remington		5954		6028	
30-06		5946		6020	
308 Win.		5956		6030	
7M/M Remington Mag.	stainless steel barrel and recoil pad	5952	134.95	6026	159.95
264 Win. Mag.	stainless steel barrel and recoil pad	6046		6036	
300 Win. Mag.	stainless steel barrel and recoil pad			6012	
375 H&H Mag.	recoil pad			6040	310.00
458 Win. Mag.	recoil pad			6042	
Model 700 D "Peerless" Grade		Special	600.00	Special	600.00
Model 700 F "Premier" Grade		Special	1,200.00	Special	1,200.00
Sling Strap & Quick Release Swivels (installed)		6382	9.10		

*Fair Trade retail prices in states having Fair Trade laws.

Prices subject to change without notice.

Packs more Power and Accuracy than any other Carbine in its class

REMINGTON MODEL 600

BOLT ACTION CENTER FIRE CARBINE

CHAMBERED FOR 6 m/m Rem., 35 Rem., 308 Win., 222 Rem.

GOOD LOOKS Model 600 has a new rugged look — every inch a rifle built to take it. It looks different and it is . . . in many ways. Notice the ventilated rib on the barrel. But there's more to it than looks. The rib, with its matted top surface, forms a "quick sight-line" that your eye just naturally follows — helps you get on a running target faster.

LIGHT WEIGHT There's none lighter — just 5½ well-balanced pounds which mean you can carry it all day and still finish fresh. This rifle is a carbine, it's short; you can handle it faster in heavy brush. Model 600 packs well, too; slips in a saddle scabbard, fits snugly in a car rack or in the cab of a pick up truck.

POWER Model 600 is available in four popular calibers — the brush-busting 35 Remington, powerful 6 m/m Remington, 308 Win. for big game; and the 222 Remington . . . a high velocity, flat trajectory cartridge that's rough on coyotes. To get the most from this cartridge, a rifle must be very accurate. Model 600 is! Other features like custom checkering and the world's strongest bolt action make it a gun you can't forget (and wouldn't want to). Why not see your dealer soon; he will be glad to show it to you.

SPECIFICATIONS

CALIBERS	6 m/m Rem., 35 Rem., 308 Win., 222 Rem.
CAPACITY	5 Shot — 6 m/m Rem. 5 Shot — 35 Rem. 5 Shot — 308 Win. 6 Shot — 222 Rem.
BARREL LENGTH	Tapered, Remington Proof Steel 18½" with Ventilated Rib, Matted between Sights.
OVER-ALL LENGTH	37¼"
STANDARD STOCK DIMENSIONS	Selected American Walnut, custom checkering on fore-end and pistol grip. Monte Carlo Stock with fluted comb. 14" Length of pull, 2" Drop at heel, 1⅝" Drop at comb.
RECEIVER	Drilled and Tapped for Scope Mounts. Fixed Magazine.
SIGHTS	Blade Ramp Front Sight with Brass Bead. "U" Notch Rear Sight Adjustable for elevation and windage with adjusting screws.
SAFETY	Positive Rotary Thumb Type with Corrugated Non-Slip Surface.
WEIGHT	5½ lbs.

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

USE NUMBERS, FOR EASY, ACCURATE ORDERING

	Order Nos.	Retail Prices*
Model 600 Carbine		
6 m/m Remington	5730	$99.95
35 Remington	5728	
308 Win.	5722	
222 Remington	5726	
Sling Strap & Swivels (installed)	5732	8.00

FEATURES

CUSTOM CHECKERING on fore-end and grip is fine-lined, uniform, good looking. We suggest you do as other smart gun buyers do, compare this checkering with that found on other makes of guns. Then judge for yourself.

MONTE CARLO STOCK with fluted comb means a better cheek-to-stock fit for quicker, surer sight alignment. Rich American Walnut Stock has all-purpose dimensions which give perfect alignment with either a scope or open sights. Functional shape of fore-end provides a good reliable, non-slip grip for steady holding.

WORLD'S STRONGEST BOLT. Cartridge head is completely encased by a ring of solid steel. When bolt is closed, three rings of steel support the cartridge head. Strong? . . . there's none stronger.

A LIGHT WEIGHT POWERHOUSE — Only 5½ pounds but packs more power per pound than other carbines, from the brush-busting 35 Remington, powerful 6 m/m Remington and 308 Win. calibers, to the high velocity, flat trajectory 222 Remington coyote-walloping caliber. Carry it all day and at day's end you'll still be hunting — not just moving your feet.

VENTILATED RIB. It's the first time a domestic commercially produced sporting rifle has ever been designed with a ventilated rib. (Another first for Remington). It helps you aim, gives a definite sight-line so you get on running game faster.

FAST-HANDLING MODEL — Short over-all length (37¼") makes Model 600 just right for hunting in heavy brush country because you can handle it faster, easier. It's a great saddle gun, too — fits a scabbard neatly or tucks in the rack of a pick-up truck.

FINEST ACCURACY. Here's where Model 600 really shines. Free floating barrel of Remington proof steel is precision rifled to exact standards, by Remington's special methods. Trigger pull is short, crisp and clean. At the factory and in the field we shot close groups — and so will you. It was designed to shoot this way.

FORWARD S BOLT HANDLE hugs the stock — doesn't stick out — slips in and out of scabbard with ease. Half knob is serrated on the bottom so you get a good secure grip. It's the same bolt handle as on the sensational Remington XP-100 pistol.

ROTATING THUMB SAFETY is conveniently located at the rear of the receiver where you can get at it in a hurry. Rearward for "safe". Forward for "fire."

BLADE RAMP FRONT SIGHT with brass bead and sturdy U notch rear sight is adjustable for elevation and windage. Receiver drilled and tapped for scope and receiver sights.

TRIGGER is extra wide and corrugated; finger fits securely. Trigger pull is crisp and clean — no creep, no spongy action.

REMINGTON MODEL XP-100 LONG RANGE PISTOL

A Super-Accurate Long Range Pistol

$99.95*

- BOLT ACTION
- SINGLE SHOT
- CENTER FIRE

BALLISTICS ON 221 REMINGTON "FIRE BALL" CARTRIDGE WITH 50 GRAIN SOFT POINT BULLET

RANGE (yards)	VELOCITY (ft.-per-second)	ENERGY (foot-lbs.)	MID-RANGE TRAJECTORY (inches)
Muzzle	2650	780	—
50	2420	650	0.2
100	2200	535	0.8
150	2000	445	1.9
200	1800	360	3.9

Ballistics obtained in the XP-100, 10½" barrel.

NOW . . . after years of Research & Development by America's Oldest Gunmaker

. . . a super-accurate, long range pistol that fires the new 221 Remington "Fire Ball" faster, farther and flatter than any handgun you ever held: The new and exciting REMINGTON XP-100 LONG RANGE PISTOL.

Exclusively styled and designed with a one-piece stock of Du Pont "Zytel" — the "gunmaker's nylon" that gives a gun more durability, finest barrel-bedding (for greater accuracy) and lasting good looks — the XP-100 is new from butt to muzzle and made for new shooting satisfactions, extra sporting pleasures you've never had before.

It's exciting to shoot — exciting to own — and even exciting to look at. Built with the world's strongest bolt (three rings of steel support the cartridge head) this new gun and cartridge have been "cross-engineered" — made for each other, by Remington, to give you the power-and-precision no other pistol and load can deliver.

Price includes Zippered Carrying Case.

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

SPECIFICATIONS

STOCK	Du Pont "ZYTEL".®
ACTION	Bolt, solid frame.
CAPACITY	Single shot.
CALIBER	221 Remington "Fire Ball".
LENGTH	Barrel 10½". Overall 16¾".
TRIGGER	Match type; grooved.
SIGHTS	Fixed front; rear adjustable for windage and elevation.
WEIGHT	3¾ lbs., shipping weight with zipper case 7 lbs.
ORDER NUMBER	5470

FEATURES

ROTATING THUMB-SAFETY Bolt handle cannot be raised to open action, trigger cannot be pulled, when on SAFE position.

VENTILATED RIB for improved sighting, "custom-crafted" appearance.

CUSTOM-STYLE CHECKERING, white spacers and diamond inlays enhance appearance and value.

INTERNAL FORE-END CAVITIES (5 of 'em) permit addition of weights to suit your personal shooting preferences. Cavities hold 38 caliber, 130 grain, metal case bullets (Remington Components Index Number B 22848).

MATCH TYPE TRIGGER with no backlash, no wobble . . . and it's grooved for a better finger feel. It's crisp — there's no lag in the let-off; extremely fast lock time.

SCIENTIFICALLY BALANCED to give minimum whip, jump and recoil. Grip is positioned at best position for steady holding . . . it's the comfort king of pistols.

ONE-PIECE STOCK OF DU PONT "ZYTEL" "the gunmaker's nylon" that gives a gun more durability, finest barrel-bedding (for greater accuracy) and lasting good looks.

WORLD'S STRONGEST BOLT same as featured on famous Remington center fire rifles.

RIFLE-TYPE REAR SIGHT is adjustable for windage and elevation.

UNIVERSAL GRIP fits either left—or right hand, is shaped to fit fingers and heel of hand.

REMINGTON RIM FIRE RIFLES



Remington

DUPONT

REMINGTON NYLON 22s

LEVER • AUTOMATIC • BOLT

All made of Du Pont Zytel® Nylon

ONLY REMINGTON NYLON 22 GUN STOCKS ARE GUARANTEED FOR A LIFETIME!

NYLON 76 "TRAIL RIDER"

Take a good look at Remington's rugged Nylon 76, first lever action 22 with built-in accuracy! The big difference is the accuracy advantage of structural nylon. This extra nylon stability lets Remington precision-fit stock to barrel with three-point bedding, the same principle that gives costly target rifles their accuracy. Comes in Mohawk Brown and Apache Black with chrome barrel and receiver.

NYLON 10, 11 AND 12

(Nylon 12 shown above)

Whatever you want in a bolt action 22 — these guns have it! Bull's-eye accuracy, ultra modern design and the years and years of rugged performance only Remington structural nylon and ordnance steel can give. Choose the single shot (Nylon 10) clip magazine (Nylon 11) or tubular magazine (Nylon 12). All are winners! Features? They give you plenty! Super-accurate three-point bedding . . . perfect checkering and inletting . . . streamlined, chrome-plated Mannlicher-type bolt handle . . . and unequaled features like handy top-mounted thumb safety, fully adjustable rear sight and receiver grooved for "tip-off" 'scope mounts. Shoot modern — Shoot Remington.

REMINGTON'S NEW NYLON 66 AUTOMATIC

Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 2½" wood blocks. Only six misses out of over 100,000 blocks thrown . . . and without a malfunction.

Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver.

USE NUMBERS, FOR EASY, ACCURATE ORDERING

Nylon 22 Caliber Rifles	Order Nos.	Retail Prices*
Nylon 10 Bolt Action Single Shot	5460	$26.95
Nylon 10 SB Smooth Bore Single Shot	5466	26.95
Nylon 11 Bolt Action Clip Magazine	5544	38.95
Nylon 12 Bolt Action Tubular Magazine	5558	41.95
Nylon 66 AB "Apache Black" Automatic	5486	54.95
Nylon 66 MB "Mohawk Brown" Automatic	5500	49.95
Nylon 66 GS "Gallery Special" (22 Shorts Only)	5512	59.95
Nylon 76 MB "Mohawk Brown" Lever Action	5592	59.95
Nylon 76 AB "Apache Black" Lever Action	5682	64.95
Extra 6 Cartridge Clip For Nylon 11	6388	2.40
Extra 10 Cartridge Clip	6390	3.10
Sling Strap & Swivels (installed)		5.40

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

SPECIFICATIONS

	NYLON 66	NYLON 10
ACTION	Automatic.	Bolt Action Single Shot.
CALIBER	22 long rifle Rim Fire.	22 short, long, long rifle Rim Fire.
CAPACITY	Tubular magazine thru butt stock. Holds 14 long rifle cartridges.	Single Shot. Loading Platform.
BARREL	19⅝ inch, precision rifled, Remington Proof Steel.	24 inch, precision rifled, Remington Proof Steel.
STOCK	One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end.	One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end.
SIGHTS	Adjustable rear sight, blade front, common sight line for iron sights and 'scope.	Adjustable rear sight, blade front, common sight line for iron sights and 'scope.
SAFETY	Top-of-grip.	Automatic Thumb Safety. Red dot indicator shows when ready to fire.
RECEIVER	Grooved for "tip-off" 'scope mounts.	Grooved for "tip-off" 'scope mounts.
OVER-ALL LENGTH	38½"	42⅞"
COLOR	Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover.	Mohawk Brown.
WEIGHT	4 lbs.	4⅛ lbs.

NYLON 76 — Same as NYLON 66 except: ACTION — Lever. WEIGHT — 4¼ lbs.
NYLON 11 — Same as NYLON 10 except: CAPACITY — Repeater, 6 shot clip magazine. (10 shot clip available). SAFETY — thumb safety. WEIGHT — 4¼ lbs.
NYLON 12 — Same as NYLON 10 except: CAPACITY — Repeater, tubular magazine holds 21 short, 16 long, 14 long rifle cartridges. SAFETY — thumb safety. WEIGHT — 4½ lbs.

For Plinking, Target Shooting, or Hunting

REMINGTON BOLT ACTION 22s IN AMERICAN WALNUT

512X "SPORTMASTER" TUBULAR MAGAZINE REPEATER

NEW BOLT ACTION 22 RIFLES

All rifles in the new Remington bolt action line (models 510X, 511X, and 512X) have an American Walnut stock, new 24-inch precision barrel, fully adjustable rear sight and blade ramp front sight. In addition, the receiver is grooved for 'scope mounts and all rifles have a red dot firing indicator, side lever thumb safety, self cocking bolt, double cocking cams, double locking lugs, double extractors, bright steel bolt with swept back, sure-grip oval ball handle. Pick the one that suits you best; model 510X is a single shot, model 511X a 6-shot clip magazine repeater and 512X shown above is a big capacity tubular magazine repeater. All three have true Remington high quality throughout. See them at your dealer's. He'll be glad to point out their many exclusive features that make them excellent buys.

510X "TARGETMASTER" SINGLE SHOT

A favorite "first gun" because of its safety features. Automatic safety goes on when bolt is cocked and red dot shows when rifle is ready to fire. Also available in smooth bore model for shot cartridges.

511X "SCOREMASTER" CLIP MAGAZINE REPEATER

HOLDS 6 cartridges; short, long or long rifle.

MODEL 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

SPECIFICATIONS

	MODEL 510X	MODEL 514
ACTION	Bolt Action, Single Shot.	Bolt Action, Single Shot.
CALIBER	22 Short, long, long rifle rim fire.	22 short, long, long rifle rim fire.
CAPACITY	Single Shot.	Single Shot.
BARREL	24-inch, precision rifled, Remington Proof Steel.	24-inch, precision rifled, Remington Proof Steel.
STOCK	Lacquer finished American Walnut, full sized, black butt plate.	Lacquer finished American Walnut, full sized, black butt plate.
SIGHTS	Front: Ramp type blade with high-visibility white dot. Rear: Fully adjustable for windage and elevation with thumb screws.	Bead front sight, open rear.
SAFETY	Side level thumb type at rear of bolt handle. Goes on automatically when bolt is closed. Red dot firing indicator, red band on firing pin.	Rotary thumb safety.
RECEIVER	All-steel; grooved for tip-off 'scope mounts.	Made from solid steel.
OVER-ALL LENGTH	41¾ inches.	41 inches. Boy's rifle 40 inches.
WEIGHT	4¾ lbs.	4¾ lbs.

MODEL 511X — Same as MODEL 510X except: CAPACITY — 6-shot clip magazine. SAFETY — side lever thumb type. WEIGHT — 5 lbs.
MODEL 512X — Same as MODEL 510X except: CAPACITY — tubular magazine holds 21 short, 16 long, 14 long rifle cartridges. SAFETY — side lever thumb type. WEIGHT — 5¼ lbs.

USE NUMBERS, FOR EASY, ACCURATE ORDERING

Bolt Action 22 Caliber Rifles	Order Nos.	Retail Prices*
Model 510X Single Shot	9800	$26.95
Model 510X Single Shot, Smooth Bore	9806	26.95
Model 514 Single Shot	5572	21.95
Model 514BR Single Shot, Boy's Rifle	5582	21.95
Model 511X Clip Repeater	9814	38.95
Model 512X Tubular Repeater	9820	41.95
Extra 6-Shot Clip For Model 511X	6388	2.40
Extra 10-Shot Clip For Model 511X	6390	3.10
Sling Strap & Swivels (installed)		5.40

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

REMINGTON AUTOMATIC 22 RIM FIRE RIFLES

Rapid Fire
Extra Rugged
Dependable

Model 552 "Speedmaster"

Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster" has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model and the Gallery Special. Pick a Model 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made right.



VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.

SINGLE LOADING — AUTO EJECTION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically.

Model 550

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 22 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.

This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos.	Retail Prices*
Model 552 22 Caliber Automatic Rifle		
552 A Automatic	5608	$55.95
552 C Carbine	5612	55.95
552 GS "Gallery Special" (22 Shorts Only)	5610	66.65
Sling Strap and Swivels (installed)	6430	7.50
Model 550 22 Caliber Automatic Rifle		
550 A	5596	$49.95
Sling Strap and Swivels (installed)	6428	5.40
Model 572 22 Caliber Slide Action Rifle		
572 A	5626	$58.95
572 SB Smooth Bore	5628	65.95
Sling Strap and Swivels (installed)	6432	7.50

*Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.

Smooth Action
Large Capacity
All-'Round 22

REMINGTON
PUMP ACTION
22 RIM FIRE RIFLE

Model 572 "Fieldmaster"

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns. Also available with a smooth bore barrel.

SINGLE LOADING—It's the only slide action 22 rifle with positive single loading through the ejection port — a feature especially important to parents and shooting instructors.

FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



SHOOTERS FORGET—but a "Fieldmaster" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.

SPECIFICATIONS

	MODEL 552	MODEL 550	MODEL 572
ACTION	Automatic	Automatic	Pump, repeater
CALIBER	22 Rim Fire	22 Rim Fire	22 Rim Fire
CAPACITY	Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges	Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges	Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges
SIGHTS	Adjustable rear sight, bead front	Adjustable rear sight, bead front	Adjustable rear sight, bead front
STOCK	Rich American walnut	Rich American walnut	Rich American walnut
SAFETY	Cross-bolt type	Thumb style	Cross-bolt type
RECEIVER	Grooved for "tip-off" scope mounts	Grooved for "tip-off" scope mounts	Grooved for "tip-off" scope mounts
OVER-ALL LENGTH	42" 40" (Carbine)	43½"	42"
WEIGHT	5¾ lbs.	6¼ lbs.	5½ lbs.

REMINGTON

RIM FIRE-CENTER FIRE

TARGET RIFLES

Model 40XB
World's Most Accurate
Target Rifle

Here is the sensationally accurate Remington Model 40XB that is taking top honors in the United States and at International matches throughout the world. It reflects all that Remington is famous for . . . craftsmanship, precision design, quality materials, attention to details. The 40XB is truly a target rifle that only Remington — the nation's oldest gun maker could create. Features are:

Bolt action single-shot with loading platform: Specially selected long-wearing ordnance steel barrel, with new precision rifling. Choice of standard or heavy barrel. Custom-style stock with high comb giving same sighting plane for iron and telescope sights. Comb grooved for easy bolt removal. Mershon White Line non-slip rubber butt plate.

Built-in adjustable bedding device. Adjustable sling swivel. Extra-strong bolt with heavy, over-size locking lugs insuring constant headspace. Double extractors. Loading platform gives absolutely straight-line feed. Adjustable, crisp trigger with positive click adjustments for weight of pull. Thumb safety. Large, strong receiver drilled and tapped for standard sight mounts — telescope and iron. Redfield Olympic front and rear sights optional. Greatly increased distance between 'scope blocks gives improved sight adjustment. Barrel length 28". Stock length 33". Overall length 47". Weight without Redfield Olympic sights: heavy barrel rifle 12 lbs., standard barrel rifle 10 lbs. Weight with sights: add 12 oz.

A COMPLETE TARGET RIFLE READY TO SHOOT

MODEL 513 T "MATCHMASTER" 22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull. 6-shot box magazine. Redfield front and rear sights. 1¼" leather sling, adjustable front swivel. Length 45". Weight about 8¾ pounds.

A FINE COMBINATION HUNTING AND TARGET RIFLE

MODEL 521 T — Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, 1 shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.

INTERNATIONAL FREE RIFLE—RIM FIRE • CENTER FIRE

Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 m/m, 30-06 and others on special order.

40XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at $25 extra cost.



"GROUP TIGHTENER" . . . first production rifle ever made with convenient built-in bedding device. Adjustment of "tuning" screws can be done manually with small screw driver.

GREATER DISTANCE between telescope blocks means 50% finer sight adjustment. Reduces "sighting-in" errors. Photo shows difference between old 7.2" inter-mount radius and more precise 10.6" inter-mount radius on Model 40XB.

USE NUMBERS FOR EASY, ACCURATE ORDERING

	Order Nos.	Retail Prices*
Model 40-XB "Rangemaster"		
S1 Std. Barrel with Sights, Rim Fire—22 Cal.	5674	$184.95
H1 Heavy Barrel with Sights, Rim Fire—22 Cal.	5670	
H2 Heavy Barrel without Sights, Rim Fire—22 Cal.	5672	154.95
S2 Std. Barrel without Sights, Rim Fire—22 Cal.	5676	
CF-S2 Std. Barrel without Sights, Center Fire	Spec.	192.95
CF-H2 Heavy Barrel without Sights, Center Fire	Spec.	192.95
Extra for calibers requiring stainless barrels (6 weeks or more for center fire models)		20.00
Model 513 "Matchmaster", Rim Fire Only		
513 TR "Target" Grade with Sights	5564	88.95
513 TX "Target" Grade without Sights	5566	66.45
Extra 6—Cartridge Clip	6388	2.40
Extra 10—Cartridge Clip	6390	3.10
Model 521T, Rim Fire Only		
521 T "Target"	5588	59.95
Extra 6—Cartridge Clip	6388	2.40
Extra 10—Cartridge Clip	6390	3.10
International Free Rifle, Rim Fire & Center Fire	Spec.	361.05



MODEL 40XB "RANGEMASTER" 22 rim fire and center fire target rifle. Center fire calibers: 222 Rem., 222 Rem. Mag., 244 Rem., 6 m/m Rem., 7.62 m/m, 30-06 and others on special order. (extra charge for center fire calibers requiring stainless steel barrels)

SPECIFICATIONS

	MODEL 40-XB	MODEL 513T	MODEL 521T
ACTION	Bolt, Single Shot.	Bolt, Repeater.	Bolt, Repeater.
CALIBER	22 Rim Fire. Some Center Fire.	22 Rim Fire.	22 Rim Fire.
CAPACITY	Single loading. Long Rifle only.	6-shot Clip magazine. 10-shot Clip available. Long Rifle only.	6-shot Clip magazine. 10-shot Clip available. Long Rifle only.
SIGHTS	Redfield Olympic front & rear sights option.	Redfield micrometer front & rear sights optional.	Micrometer rear, blade front
SAFETY	Thumb Safety, positive.	Thumb Safety, positive.	Thumb Safety, positive.
RECEIVER	Drilled & tapped for iron sights or 'scope mounts.	Drilled & tapped for iron sights or 'scope mounts.	Drilled & tapped for Lyman 57 RS peep sight.
BARREL LENGTH	28".	27".	25".
LENGTH OF PULL	13½". (Trigger adjustable 2 to 4 lbs.)	13½". (Trigger to center of butt plate)	13¼". (Trigger to center of butt plate)
STOCK	American walnut. Palm rest & front swivel block, adjustable on base.	American walnut. Sling Strap.	American walnut. Sling Strap.
OVER-ALL LENGTH	47".	45".	42¾."
WEIGHT	With Redfield sights heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.	8¾ lbs.	6½ lbs.

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

REMINGTON Presents.... NEW GUNS.....



MODEL 1100
Automatic Shotgun

Thousands of proud owners who have shot the Model 1100 in the field and at the traps claim it's the greatest automatic shotgun ever made. Their reasons: less recoil, longer life, good balance, high quality throughout. Made in 12, 16 and 20 gauges — in all popular barrel lengths, chokes and models.



MODEL 700
Big Game Rifle

Here's the rifle that appeals to *the shooter* . . . who marvels at its great accuracy; *the hunter* who knows it has the world's strongest bolt action with power to take any North American game; and *the craftsman* who appreciates the traditional beauty and workmanship of this rifle. Available in 13 most wanted calibers.



MODEL 600
Powerful, Light Weight Carbine

Pound for pound this sleek, light weight carbine packs more power and accuracy than any other carbine in its class. Its light weight and carbine length make it the ideal brush gun; tucks nicely in a saddle scabbard, too. Now in 35 Remington, 6 m/m Rem., 308 Win. and 222 Remington calibers.

. . HIGH GRADE GUNS

THE FINEST! As appreciative sportsmen and shooters well know, gunsmithing is both an art and a craft. Since 1816, succeeding generations of Remington master gunsmiths have contributed accuracy, reliability, handling ease and handsomeness to the unmatched reputation of Remington products.

Today's high grade Remington guns reflect this great tradition of the artisan-gunmaker: The "Woodsmaster" F Premier Grade automatic big game rifle is just one example of the extra quality available to shooters who enjoy owning the finest. Hand-engraved receiver and barrel, game scenes, custom hand checkering, matched American walnut stock and fore-end . . . all these superiorities make it obviously the finest, undeniably a Remington.



REMINGTON

CENTER FIRE CARTRIDGES

for Rifles, Pistols & Revolvers

Remington

DU PONT



"CORE-LOKT"

In all Remington "Core-Lokt" bullets, jacket and core are locked together by heavy mid-section. The bullet stays in one piece . . . for greater striking power.

It stands to reason that you'll get best results from ammunition especially designed for the job. You may need one type of bullet for long-range shots in open country . . . another for deer in dense undergrowth. That's why Remington features no one bullet type, but gives you a wide selection.

REMINGTON'S WIDE SELECTION OF BULLETS MEANS MORE GAME, HIGHER SCORES FOR YOU

"CORE-LOKT" SOFT POINT
A good choice for medium and big game . . . especially when you're hunting in heavy brush. Exclusive Remington "Core-Lokt" design assures deep penetration and controlled expansion — up to double normal caliber!

"CORE-LOKT" POINTED SOFT POINT
A fine bullet for bringing down game at long range, the Remington Pointed Soft Point "Core-Lokt" has flatter trajectory, maximum remaining velocity, maximum striking energy.

"CORE-LOKT" HOLLOW POINT
Here's a real game getter! It assures deep penetration and controlled expansion. Similar in use to Remington Soft Point "Core-Lokt," but designed for less rapid mushrooming.

BRONZE POINT EXPANDING
An excellent all around type of bullet with a unique design, the Remington Bronze Point has good wind-bucking qualities. It travels with a flat trajectory, and has high remaining velocity and fine accuracy at long range.

SEE HOW EXCLUSIVE REMINGTON "CORE-LOKT" *UNLOCKS* EXTRA STOPPING POWER!

1. **LEAVING MUZZLE** — Remington Pointed Soft Point "Core-Lokt" bullet in 30-06 caliber looks like this. Directional nose cuts are designed to speed expansion.
2. **AT 2,700 FEET PER SECOND** — the bullet is "stopped" by fast x-ray camera. Ahead lies a gelatin block that will closely simulate actual hunting impact.
3. **MUSHROOM AT NOSE** of Pointed Soft Point "Core-Lokt" bullet is now clearly visible. Note expanding cavity behind expanding bullet.
4. **VAST SHOCK POWER** keeps cavity spreading apart. But "Core-Lokt" design holds the still-expanding bullet together. How much larger can it get?
5. **OVER TWICE ORIGINAL CALIBER!** Fully mushroomed bullet—still in one piece—clears the block. Shock wave behind it continues to swell the block.

"CORE-LOKT" BULLETS Open up at all hunting ranges

Lion shot at 50 feet

Deer shot at 80 yards

Deer shot at 200 yards

Elk shot at 390 paces

"Core-Lokt" bullets combine the high degree of accuracy necessary to score vital hits at long range with the power to crash through toughest hide and bone. On impact their notched jackets insure maximum effective expansion, providing great shocking and stopping power. These remarkable bullets stay in one piece, delivering the power that means less trailing, fewer lost trophies.

REMINGTON CENTER FIRE RIFLE CARTRIDGES

	ADAPTED TO	BULLET Wt.-Grs.	BULLET Style
218 BEE	Winchester 65, 43	46	Hi-Speed H.P.
219 ZIPPER	Winchester 64	56	Hi-Speed H.P.
22 HORNET	Winchester 54, 70, 43; Savage 19H, 23D, 219, 340; Stevens 322	45 45	Hi-Speed S.P. Hi-Speed H.P.
220 SWIFT	Winchester 54, 70	48	Hi-Speed S.P.
222 REMINGTON	Remington 700, 722, 725, 760; Marlin 322; Savage 340	50 50	Hi-Speed S.P. Hi-Speed M.C.
222 REMINGTON MAGNUM	Remington 600, 700, 722	55	Hi-Speed S.P.
223 REMINGTON (5.56 MM)	Remington 760	55	Hi-Speed S.P.
6MM REMINGTON	Remington 600, 700, 742	100	Hi-Speed Ptd. S.P.C.L.
243 WIN.	Remington 700, 722, 725; Winchester 70; Savage 99	80 100	Hi-Speed Ptd. S.P. Hi-Speed Ptd. S.P.C.L.
244 REMINGTON	Remington 722, 725, 742, 760	75 90 90	Hi-Speed Ptd. S.P. Hi-Speed Ptd. S.P. Hi-Speed B.P.
25-20 WIN.	Winchester 92, 53, 65, 43; Remington 25; Savage 23B, 219; Marlin 1894, 27	86 86 60	Lead S.P. Hi-Speed H.P.
257 ROBERTS	Remington 30, 720, 722, 760; Winchester 54, 70	117 100	Express S.P.C.L. Hi-Speed Ptd. S.P.C.L.
25-35 WIN.	Winchester 94, 55, 64; Savage 99	117	Express S.P.C.L.
250 SAV.	Savage 1920, 40, 45, 99; Winchester 54, 70	100 100 87	Hi-Speed Ptd. S.P.C.L. Hi-Speed S.P.C.L. Hi-Speed S.P.
264 WIN. MAGNUM	Remington 700, Winchester and other bolt action rifles	100 140	Hi-Speed Ptd. S.P.C.L. Hi-Speed Ptd. S.P.C.L.
270 WIN.	Winchester 54, 70; Remington 700, 720, 721, 725, 760, 760C	100 150 130 130	Hi-Speed Ptd. S.P. Hi-Speed S.P.C.L. Hi-Speed Ptd. S.P.C.L. Hi-Speed B.P.

ABBREVIATIONS: H.P. — Hollow Point • S.P. — Soft Point • B.P. — Bronze Point • C.L. — Core-Lokt • M.C. — Metal Case •

NUMBER Index	Primer	VELOCITY — FEET PER SECOND Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY* RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	200 YDS.	300 YDS.	RIFLE SIGHTED IN AT 200 YDS. 100 YDS.	300 YDS.	400 YDS.	500 YDS.
0218	6½	2860	2160	1610	1200			835	475	265	145			+0.2	−6.4	−25.9				
0219	9½	3110	2440	1940	1550			1200	740	465	300			+0.1	−4.9	−18.9				
0222	6½	2690	2030	1510	1150			720	410	230	130			+0.3	−7.8	−30.5				
0322	6½	2690	2030	1510	1150			720	410	230	130			+0.3	−7.8	−30.5				
0822	9½	4110	3490	2930	2440			1800	1300	915	635			−0.2	−2.1	−7.9				
0722	6½	3200	2650	2170	1750			1140	785	520	340			0.0	−4.0	−15.7				
0922	6½	3200	2650	2170	1750			1140	785	520	340			0.0	−4.0	−15.7				
0522	6½	3300	2800	2340	1930			1330	955	670	455			0.0	−3.6	−13.8				
0223	6½	3300	2800	2340	1930			1330	955	670	455			0.0	−3.6	−13.8				
1066	9½	3190	2920	2660	2420	2190	1980	2260	1890	1570	1300	1060	870				+1.6	−6.5	−18.9	−38.7
0243	9½	3500	3080	2720	2410			2180	1690	1320	1030			−0.1	−2.8	−10.2				
1243	9½	3070	2790	2540	2320			2090	1730	1430	1190			0.0	−3.5	−12.2				
0244	9½	3500	3070	2660	2290			2040	1570	1180	875			−0.1	−2.7	−10.4				
1244	9½	3200	2850	2530	2230			2050	1630	1280	995			−0.1	−3.4	−12.3				
4244	9½	3200	2930	2670	2400			2050	1720	1420	1150			−0.1	−3.2	−11.3				
1325	6½	1460	1180	1030	940			405	265	200	170			+2.1	−23.9	−79.4				
1525	6½	1460	1180	1030	940			405	265	200	170			+2.1	−23.9	−79.4				
1625	6½	2250	1660	1240	1030			675	365	205	140			+0.7	−11.5	−48.8				
5325	9½	2650	2280	1950	1690			1820	1350	985	740			+0.2	−5.7	−20.6				
5425	9½	2900	2580	2280	2000			1870	1480	1150	885			+0.1	−4.4	−15.6				
6325	9½	2300	1950	1680	1460			1370	985	730	555			+0.5	−8.2	−28.6				
7125	9½	2820	2500	2210	1940			1760	1390	1080	835			+0.1	−5.3	−16.5				
7225	9½	2820	2350	1970	1670			1760	1220	860	620			+0.1	−4.8	−19.5				
7425	9½	3030	2660	2330	2060			1770	1370	1050	820			+0.1	−4.0	−14.2				
1264	9½	3700	3260	2880	2550	2270	2030	3040	2360	1840	1440	1140	915				+1.1	−5.5	−15.6	−32.2
4264	9½	3200	2940	2700	2480	2280	2100	3180	2690	2270	1910	1620	1370				+1.5	−6.1	−18.4	−36.7
8027	9½	3480	3070	2690	2340	2010	1700	2690	2090	1600	1220	890	640				+1.3	−6.3	−18.5	−38.7
8127	9½	2800	2440	2140	1870	1660	1470	2610	1980	1520	1160	915	720				+2.4	−9.5	−29.6	−61.7
8327	9½	3140	2850	2580	2320	2090	1860	2840	2340	1920	1550	1260	1000				+1.6	−7.0	−20.1	−40.7
8427	9½	3140	2880	2630	2400	2180	1980	2840	2390	1990	1660	1370	1130				+1.6	−6.5	−19.6	−39.7

T.H. — Tapered Heel • H.P.C.L. — Hollow Point Core-Lokt • Ptd. S.P. — Pointed Soft Point

*Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

REMINGTON CENTER FIRE RIFLE CARTRIDGES

	ADAPTED TO	BULLET Wt.-Grs.	BULLET Style
280 REMINGTON	Remington 700, 721, 725, 740, 742, 742 C, 760, 760 C	100	Hi-Speed B.P.
		125	Hi-Speed Ptd. S.P.C.L.
		150	Hi-Speed Ptd. S.P.C.L.
		165	Hi-Speed S.P.C.L.
7 MM REMINGTON MAGNUM	Remington 700, Savage 110, Browning Bolt Action Rifles	150	Hi-Speed Ptd. S.P.C.L.
		175	Hi-Speed S.P.C.L.
7 MM MAUSER	Remington 30; Winchester 54, 70; Mauser Military, Sporting rifles; Sauer-Mauser	175	Express S.P.
30 CARBINE	M1 Carbine	110	Hi-Speed S.P.
30-30 WIN.	Winchester 54, 55, 64, 94; Marlin 1893, 36; Savage 1920, 40, 45, 99, 219, 325, 340	160	Express M.C.
		170	Express H.P.C.L.
		170	Express S.P.C.L.
		150	Express S.P.C.L.
30 REMINGTON	Remington 8, 81, 14, 141, 30	170	Express S.P.C.L.
30-40 KRAG	Krag (Springfield 1898); Winchester 95; Remington and Winchester single shot, military and sporting rifles	220	Express S.P.C.L.
		180	Hi-Speed S.P.C.L.
		180	Hi-Speed Ptd. S.P.C.L.
30-06 SPRINGFIELD	Remington 30, 700, 721, 725, 742, 742 C, 760, 760C, 1917 Service rifle; 1903 Springfield for 1906 cartridges; Winchester 54, 70; Savage 40, 45; Garand	220	Express S.P.C.L.
		150	Hi-Speed Ptd. S.P.C.L.
		150	Hi-Speed B.P.
		180	Hi-Speed B.P.
		125	Hi-Speed P.S.P.
		180	Hi-Speed S.P.C.L.
		180	Hi-Speed Ptd. S.P.C.L.
		110	Hi-Speed Ptd. S.P.
		180	Palma Match M.C.T.H.
300 SAV.	Remington 81, 722, 760; Savage 1920, 40, 45, 99	180	Express S.P.C.L.
		180	Express Ptd. S.P.C.L.
		150	Hi-Speed S.P.C.L.
		150	Hi-Speed B.P.
		150	Hi-Speed Ptd. S.P.C.L.
300 H. & H. MAGNUM	Remington 721; Winchester 70	220	Express S.P.C.L.
		180	Match M.C.T.H.
		180	Hi-Speed Ptd. S.P.C.L.

ABBREVIATIONS: H.P. — Hollow Point • S.P. — Soft Point • B.P. — Bronze Point • C.L. — Core-Lokt • M.C. — Metal Case •

NUMBER Index	Primer	VELOCITY — FEET PER SECOND Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY* RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	200 YDS.	300 YDS.	200 YDS 100 YDS.	300 YDS.	400 YDS.	500 YDS.
1328	9½	3570	3160	2770	2420	2090	1800	2830	2220	1700	1300	970	720				+1.3	—5.8	—17.6	—37.5
1028	9½	3190	2880	2590	2320	2070	1840	2820	2300	1860	1490	1190	940				+1.6	—6.7	—19.8	—41.5
1128	9½	2900	2670	2450	2220	2000	1790	2800	2370	2000	1640	1330	1070				+2.0	—8.1	—23.0	—47.0
1228	9½	2820	2510	2220	1970	1740	1530	2910	2310	1810	1420	1110	860				+2.3	—9.3	—27.6	—57.5
1277	9½	3260	2970	2700	2450	2210	1990	3540	2945	2435	1990	1620	1310				+1.5	—6.3	—18.4	—37.7
1377	9½	3070	2720	2400	2120	1870	1640	3660	2870	2240	1750	1360	1040				+2.0	—7.8	—23.1	—49.1
8707	9½	2490	2170	1900	1680			2410	1830	1400	1100			+0.3	—6.4	—22.4				
1030	6½	1980	1540	1230	1040			955	575	370	260			+1.0	—14.1	—51.8				
1230	9½	2220	1870	1600	1370			1750	1240	910	665			+0.5	—9.1	—31.7				
1330	9½	2220	1890	1630	1410			1860	1350	1000	750			+0.7	—8.2	—29.6				
1430	9½	2220	1890	1630	1410			1860	1350	1000	750			+0.7	—8.2	—29.6				
1530	9½	2410	1960	1620	1360			1930	1280	875	615			+0.4	—8.3	—29.5				
2630	9½	2120	1920	1560	1350			1700	1250	920	690			+0.6	—9.5	—33.8				
4630	9½	2200	1930	1700	1510			2360	1820	1410	1110			+0.5	—8.3	—28.5				
4930	9½	2470	2120	1830	1590			2440	1790	1340	1010			+0.3	—6.4	—23.4				
5030	9½	2470	2250	2040	1850			2440	2020	1660	1370			+0.3	—6.1	—20.2				
5730	9½	2410	2120	1870	1670			2830	2190	1710	1360			+0.3	—6.7	—23.6				
5830	9½	2970	2670	2400	2130	1890	1670	2930	2370	1920	1510	1190	930				+1.9	—7.5	—22.6	—45.7
6030	9½	2970	2710	2470	2240	2020	1820	2930	2440	2030	1670	1360	1100				+1.9	—7.5	—22.6	—45.7
6130	9½	2700	2480	2280	2080	1900	1730	2910	2460	2080	1730	1440	1190				+2.4	—8.5	—25.6	—52.7
6230	9½	3200	2810	2480	2200	1960	1740	2840	2190	1710	1340	1070	840				+1.6	—7.4	—21.4	—44.9
6430	9½	2700	2330	2010	1740			2910	2170	1610	1210			+0.2	—5.6	—19.2				
6530	9½	2700	2470	2250	2040	1850	1670	2910	2440	2020	1660	1370	1110				+2.4	—9.0	—27.1	—55.7
6630	9½	3370	2860	2400	1990			2770	2000	1410	965			—0.1	—3.4	—13.1				
6730	9½	2700	2520	2350	2190	2040	1890	2910	2540	2200	1900	1660	1430				+2.3	—8.8	—25.1	—50.0
7030	9½	2370	2040	1760	1520			2240	1660	1240	920			+0.4	—7.5	—25.3				
7230	9½	2370	2160	1960	1770			2240	1860	1530	1250			+0.4	—6.5	—22.3				
7330	9½	2670	2270	1930	1660			2370	1710	1240	915			+0.2	—5.9	—20.4				
7430	9½	2670	2410	2170	1950	1750	1550	2370	1930	1570	1270	1020	800				+2.5	—10.5	—29.6	—57.2
7530	9½	2670	2390	2130	1890			2370	1900	1510	1190			+0.2	—5.4	—17.9				
7930	9½	2620	2320	2050	1830			3350	2630	2050	1630			+0.2	—5.7	—19.1				
7730	9½	2920	2740	2550	2380	2220	2060	3400	3000	2600	2260	1970	1670				+1.9	—7.4	—20.9	—42.0
7830	9½	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340				+1.9	—7.6	—22.5	—45.5

T.H. — Tapered Heel • H.P.C.L. — Hollow Point Core-Lokt • Ptd. S.P. — Pointed Soft Point

*Inches above (+) or below (—) line of sight.
Hold low for (+) figures, high for (—) figures.

REMINGTON CENTER FIRE RIFLE CARTRIDGES

	ADAPTED TO	BULLET Wt.-Grs.	BULLET Style
300 WIN. MAGNUM	Remington 700, Winchester 70, Browning	150	Hi-Speed Ptd. S.P.C.L.
		180	Hi-Speed Ptd. S.P.C.L.
303 SAV.	Savage 99	180	Express S.P.C.L.
303 BRITISH	Remington; Lee-Enfield, Winchester 95 rifles	215	Express S.P.
		180	Hi-Speed S.P.C.L.
308 WIN.	Remington 700, 722, 742, 742 C, 760, 760 C; Winchester 70, 88	110	Hi-Speed Ptd. S.P.
		150	Hi-Speed Ptd. S.P.C.L.
		180	Hi-Speed Ptd. S.P.C.L.
		180	Hi-Speed S.P.C.L.
8 MM (7.9 MM) MAUSER	Mauser 1898 military and sporting rifles — European designation 8x57 mm. rimless (WARNING: do not use in rifles chambered for 30-06 Springfield cartridges)	170	Hi-Speed S.P.C.L.
8 MM LEBEL	French 8 mm. Lebel rifle and 1907-15	170	Hi-Speed S.P.
32 REMINGTON	Remington 8, 81, 14, 141, 30	170	Express S.P.C.L.
32 WIN. SPECIAL	Winchester 55, 64, 94; Marlin 1893, 36	170	Express H.P.C.L.
		170	Express S.P.C.L.
32-20 WIN.	Remington 25; Winchester 92, 53, 65, 43; Savage 23C, 219; Marlin 27, 1894; Remington, Winchester single shot rifles	100	Lead
		100	S.P.
		80	Hi-Speed H.P.
32-40 WIN.	Winchester 94; Marlin 93; Remington, Stevens, Winchester single shot rifles	165	S.P.
348 WIN.	Winchester 71	150	Hi-Speed S.P.
		200	Express S.P.C.L.
35 REMINGTON	Remington 8, 81, 14, 141, 30, 760; Winchester 70 (WARNING: do not use in rifles chambered for 30-06 Springfield cartridges)	150	Hi-Speed Ptd. S.P.C.L.
		200	Express H.P.C.L.
		200	Express S.P.C.L.
351 WIN. SELF-LOADING	Winchester 07 Self-Loading rifles	177	M.C.
		180	S.P.
375 H. & H. MAGNUM	Remington 700, 725; Winchester Model 70 and other bolt action rifles	270	S.P.
		300	M.C.

ABBREVIATIONS: H.P. — Hollow Point • S.P. — Soft Point • B.P. — Bronze Point • C.L. — Core-Lokt • M.C. — Metal Case •

NUMBER		VELOCITY — FEET PER SECOND						ENERGY — FOOT POUNDS						TRAJECTORY* RIFLE SIGHTED IN AT 100 YDS.			200 YDS			
Index	Primer	Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	50 YDS.	200 YDS.	300 YDS.	100 YDS.	300 YDS.	400 YDS.	500 YDS.
2300	9½	3400	3050	2730	2430	2150	1890	3850	3100	2480	1970	1540	1190				+1.45	—6.05	—18.10	—37.65
3300	9½	3070	2850	2640	2440	2250	2060	3770	3250	2790	2380	2020	1700				+1.7	—6.9	—19.4	—38.9
8130	9½	2140	1810	1550	1340			1830	1310	960	715			+0.6	—10.0	—33.8				
8330	9½	2180	1900	1660	1460			2270	1720	1310	1020			+0.6	—9.1	—30.2				
9330	9½	2540	2300	2090	1900			2580	2120	1750	1440			+0.2	—5.8	—19.0				
6308	9½	3340	2810	2340	1920			2730	1930	1340	900			+0.0	—3.7	—13.6				
7308	9½	2860	2570	2300	2050	1810	1590	2730	2200	1760	1400	1090	840				+2.1	—8.5	—25.6	—53.7
8308	9½	2610	2390	2170	1970			2720	2280	1870	1540			+0.3	—5.0	—17.8				
9308	9½	2610	2250	1940	1680			2720	2020	1500	1130			+0.2	—6.0	—20.8				
8908	9½	2570	2140	1790	1520			2490	1730	1210	870			+0.3	—6.6	—24.7				
8808	9½	2640	2260	1960	1700			2630	1930	1450	1090			+0.2	—6.0	—20.8				
5632	9½	2120	1800	1540	1340			1700	1220	895	680			+0.6	—9.5	—33.3				
5032	9½	2280	1920	1630	1410			1960	1390	1000	750			+0.5	—8.5	—29.8				
5132	9½	2280	1920	1630	1410			1960	1390	1000	750			+0.5	—8.5	—29.8				
4232	6½	1290	1060	940	840			370	250	195	155			+2.8	—30.1	—97.2				
4632	6½	1290	1060	940	840			370	250	195	155			+2.8	—30.1	—97.2				
4732	6½	2100	1430	1090	950			780	365	210	160			+0.1	—16.2	—58.1				
5832	9½	1440	1250	1100	1010			760	570	445	375			+1.9	—21.5	—70.3				
6434	9½	2890	2360	1860	1420			2780	1850	1150	670			+0.1	—5.1	—20.2				
6634	9½	2530	2140	1820	1570			2840	2030	1470	1090			+0.3	—7.1	—23.7				
8035	9½	2400	1960	1580	1280			1920	1280	835	545			+0.4	—8.1	—30.7				
8235	9½	2100	1710	1390	1160			1950	1300	855	605			+0.7	—10.9	—39.4				
8335	9½	2100	1710	1390	1160			1950	1300	855	605			+0.7	—10.9	—39.4				
7335	6½	1850	1560	1310	1140			1370	975	685	520			+1.0	—14.5	—51.8				
7435	6½	1850	1560	1310	1140			1370	975	685	520			+1.0	—14.5	—51.8				
1375	9½	2740	2460	2210	1990	1800	1620	4500	3620	2920	2370	1940	1570				+2.4	—9.8	—27.6	—56.0
2375	9½	2550	2180	1860	1590	1380	1210	4330	3160	2300	1680	1200	975				+3.1	—12.5	—37.6	—79.2

T.H. — Tapered Heel • H.P.C.L. — Hollow Point Core-Lokt • Ptd. S.P. — Pointed Soft Point

*Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

REMINGTON CENTER FIRE RIFLE CARTRIDGES

		ADAPTED TO
	38-40 WIN.	Remington 14½; Winchester 92; Remington, Winchester single shot rifles; Marlin 1894
	38-55 WIN.	Winchester 94; Marlin 93, Savage, Remington-Lee repeating rifles; Remington, Winchester single shot rifles
	444 MARLIN	Marlin 336
	44-40 WIN.	Remington 14½; Winchester 53, 92; Remington, Winchester single shot rifles; Marlin 1894
	44 REMINGTON MAGNUM	Ruger Model 44, Marlin 336 Magnum Rifles
	45-70 GOVERNMENT	Various single shot rifles built to fire smokeless powder ammunition.
	458 WIN. MAGNUM	Remington 700, 725; Winchester Model 70 and other bolt action rifles

REMINGTON CENTER FIRE PISTOL & REVOLVER

	NUMBER		BULLET		VELOCITY — FEET PER SECOND			ENERGY — FOOT POUNDS			MID-RANGE TRAJECTORY		BARREL
	INDEX	PRIMER	WGT. IN GRAINS	STYLE	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	
 22 REMINGTON "JET" MAGNUM Adapted to Smith & Wesson revolvers.	0122	6½	40	S.P.	2460	2100	1780	535	390	280	0.2"	1.0"	8⅜"
221 REMINGTON "FIRE BALL" Adapted to Remington XP-100.	5221	6½	50	S.P.	2650	2420	2200	780	650	535	0.2"	0.8"	10½"
25 (6.35 MM) AUTOMATIC PISTOL Adapted to Colt, Browning, Mauser, other automatic pistols.	4225	1½	50	M.C.	810	755	700	73	63	54	1.8"	7.7"	2"
30 (7.63 MM) MAUSER AUTOMATIC PISTOL Adapted to Colt, Browning, Mauser, other automatic pistols.	0230	1½	85	M.C.	1410	1210	1075	375	276	218	0.6"	3.0"	5½"
30 (7.65 MM) LUGER AUTOMATIC PISTOL Adapted to Luger automatic pistol; cannot be used in Luger Carbine.	0730	1½	93	M.C.	1220	1110	1040	305	255	225	0.9"	3.5"	4½"
32 SHORT COLT Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifles; not adapted to revolvers chambered for 32 Smith & Wesson cartridge.	1632	1½	80	Lead	745	665	590	100	79	62	2.2"	9.9"	4"

BULLET Wt.-Grs.	BULLET Style	NUMBER Index	NUMBER Primer	VELOCITY — FEET PER SECOND Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY* RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	200 YDS.	300 YDS.	200 YDS. 100 YDS.	300 YDS.	400 YDS.	500 YDS.
180	S.P.	8138	2½	1330	1070	960	850			705	455	370	290			+2.7	−29.1	−93.7				
255	S.P.	8438	9½	1320	1160	1050	1000			985	760	625	565			+2.4	−25.1	−81.2				
240	S.P.	0444	9½	2400	1845	1410	1125			3070	1815	1060	675			+0.6	−9.6	−36.7				
200	S.P.	5944	2½	1310	1050	940	830			760	490	390	305			+2.8	−29.6	−95.2				
240	S.P.	6844 6944	2½	1750	1360	1110	980			1630	985	655	510			+1.4	−17.5	−64.5				
405	S.P.	8245	9½	1320	1160	1050	990			1570	1210	990	880			+2.4	−25.1	−81.2				
510 500	S.P. M.C.	1458 2458	9½ 9½	2130 2130	1840 1910	1600 1700	1400 1520			5140 5040	3830 4050	2900 3210	2220 2570			+0.6 +0.6	−9.2 −8.9	−32.1 −29.4				

*Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

CARTRIDGES

	NUMBER Index	NUMBER Primer	BULLET Wgt. in Grains	BULLET Style	VELOCITY — FEET PER SECOND Muz.	50 YDS.	100 YDS.	ENERGY — FOOT POUNDS Muz.	50 YDS.	100 YDS.	MID-RANGE TRAJECTORY 50 YDS.	100 YDS.	BARREL
32 LONG COLT Adapted to Colt, Webley, other revolvers; Marlin 1892 repeating rifles; not adapted to revolvers chambered for 32 Smith & Wesson Long cartridge.	1732	1½	82	Lead	755	715	675	100	93	83	2.0"	8.7"	4"
32 COLT NEW POLICE Adapted to Colt, Smith & Wesson, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.	2332	1½	100	Lead	680	635	595	100	88	77	2.5"	11.0"	4"
32 (7.65 MM) AUTOMATIC PISTOL Adapted to Browning, Colt, Mauser, Remington, Savage, Smith & Wesson, other automatic pistols.	2632	1½	71	M.C.	960	905	850	145	130	115	1.3"	5.4"	4"
32 S. & W. Adapted to Smith & Wesson, Colt, Harrington and Richardson, Iver Johnson, other revolvers; not adapted to revolvers chambered for 32 Short Colt.	1132	1½	88	Lead	680	645	610	90	81	73	2.5"	10.5"	3"
32 S. & W. LONG Adapted to Smith & Wesson, Colt, other revolvers; not adapted to revolvers chambered for 32 Long Colt cartridge.	1232	1½	98	Lead	705	670	635	115	98	88	2.3"	10.5"	4"

ABBREVIATIONS: S.P.—Soft Point • M.C.—Metal Case • M.P.—Metal Point

REMINGTON CENTER FIRE PISTOL & REVOLVER

	NUMBER		BULLET		VELOCITY — FEET PER SECOND			ENERGY — FOOT POUNDS			MID-RANGE TRAJECTORY		BARREL
	INDEX	PRIMER	WGT. IN GRAINS	STYLE	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	
32-20 WIN.	4232	6½	100	Lead	1030	970	920	271	209	188	1.2″	4.4″	6″
	4632	6½	100	S.P.	1030	970	920	271	209	188	1.2″	4.4″	6″
Adapted to Colt, Smith & Wesson revolvers; use cartridge with 100 grain all lead bullet only (Note: 32-20 Winchester "Hi-Speed" cartridge is for use in rifles only and should not be used in revolvers. See Center Fire Rifle section).													
357 MAGNUM HI-SPEED	7835	6½	158	Hi-Speed S.P.	1550	1380	1230	845	665	530	0.5″	2.5″	8⅜″
	8835	6½	158	Hi-Speed M.P.	1410	1240	1120	695	540	440	0.6″	2.8″	8⅜″
	9835	6½	158	Hi-Specd Lead	1410	1240	1120	695	540	440	0.6″	2.8″	8⅜″
Adapted to Smith & Wesson and other revolvers originally chambered for this cartridge.													
9 MM. LUGER AUTOMATIC PISTOL	1009	1½	124	M.C.	1120	1030	965	345	290	255	1.0″	4.1″	4″
Adapted to Smith & Wesson, Colt and other semi-automatic pistols.													
38 S. & W.	2338	1½	146	Lead	685	650	620	150	135	125	2.4″	10.0″	4″
Adapted to Smith & Wesson, Colt, other revolvers.													
38 SPECIAL	6238*	1½	158	Lead	855	820	790	255	235	220	1.6″	6.5″	6″
	5138	1½	158	Lead	855	820	790	255	235	220	1.6″	6.5″	6″
	5238	1½	200	Lead	730	695	665	235	215	195	2.2″	9.0″	6″
	5338	1½	158	M.P.	855	820	790	255	235	220	1.6″	6.5″	6″
	6138*	1½	148	Lead	770	655	560	195	140	105	2.1″	10.0″	6″
	6838**	1½	110	Special	1320	1130	1020	425	310	255	0.7″	3.4″	6″
	6538	1½	158	Lead Hi-Speed	1090	1030	980	415	370	335	1.0″	4.2″	6″
Adapted to Smith & Wesson, Colt, other revolvers. "Hi-Speed" for use ONLY in such revolvers as are designed for high velocity ammunition.													
38 COLT NEW POLICE	7138	1½	150	Lead	680	645	615	155	140	125	2.5″	10.5″	4″
Adapted to Colt, Smith & Wesson, other revolvers.													
38 SHORT COLT	7238	1½	125	Lead	730	685	645	150	130	115	2.2″	9.4″	6″
Adapted to Colt revolvers.													
38 LONG COLT	7338	1½	150	Lead	730	700	670	175	165	150	2.1″	8.8″	6″
Adapted to Colt, Smith & Wesson revolvers.													
38-40 WIN.	8138	2½	180	S.P.	975	920	870	380	338	302	1.5″	5.4″	5″
Adapted to Colt revolvers (Note: "Hi-Speed" cartridges are for use in rifles only and should not be used in revolvers).													

* Wad Cutter Targetmaster

** Metal Penetrating Hi-Way Master

* Targetmaster

CARTRIDGES

	NUMBER		BULLET		VELOCITY — FEET PER SECOND			ENERGY — FOOT POUNDS			MID-RANGE TRAJECTORY		BARREL
	INDEX	PRIMER	WGT. IN GRAINS	STYLE	MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	
38 SUPER AUTOMATIC COLT PISTOL Adapted to Colt Super 38 automatic and Commander pistols ONLY.	1638	1½	130	Hi-Speed M.C.	1280	1140	1050	475	375	320	0.8"	3.4"	5"
38 AUTOMATIC COLT PISTOL Adapted to Colt automatic pistol — military, sporting, pocket models.	1438	1½	130	M.C.	1040	980	925	310	275	245	1.0"	4.7"	4½"
380 AUTOMATIC PISTOL Adapted to Browning, Colt, Remington, Savage, other automatic pistols.	1238	1½	95	M.C.	955	865	785	190	160	130	1.4"	5.9"	3¾"
41 MAGNUM Adapted to Smith & Wesson revolvers.	1141 1041	2½ 2½	210 210	Lead S.P.	1050 1500	985 1350	930 1220	515 1050	450 850	405 695	1.0" 0.5"	4.4" 2.6"	8⅜" 8⅜"
41 LONG COLT Adapted to Colt Double Action, Frontier Single Action revolvers.	4341	1½	195	Lead	730	705	680	230	205	200	2.2"	8.8"	6"
44 S. & W. SPECIAL Adapted to Smith & Wesson, Colt revolvers.	5544	2½	246	Lead	755	725	695	310	285	265	2.0"	8.3"	6½"
44 REMINGTON MAGNUM Adapted to Smith & Wesson, other 44 Magnum revolvers.	5844 6844	2½ 2½	240 240	Lead S.P.	1470 1470	1280 1300	1120 1170	1150 1150	875 900	670 730	0.6" 0.6"	2.7" 2.5"	6½" 6½"
44-40 WIN. Adapted to Colt revolvers (Note: "Hi-Speed" cartridges are for use in rifles only and should not be used in revolvers).	5944	2½	200	S.P.	975	920	865	420	376	332	0.5"	5.7"	7½"
45 COLT Adapted to Colt Shooting Master, New Service, Single Action Army revolvers.	6345	2½	250	Lead	860	820	780	410	375	340	1.6"	6.6"	5½"
45 AUTOMATIC Adapted to Colt Automatic Pistol, Thompson Sub-Machine gun, Colt 1917 revolver with clips; Smith & Wesson 1917 revolver with clips; Smith & Wesson 1950 & 1955 revolvers.	6645 6745* 6845**	2½ 2½ 2½	230 185 230	M.C. M.C. M.C.	850 775 850	810 695 810	775 625 775	370 245 370	335 200 335	305 160 305	1.6" 2.0" 1.6"	6.5" 9.0" 6.5"	5" 5" 5"
45 AUTOMATIC RIM Adapted to Colt 1917 revolver, Smith & Wesson 1917 revolver; Smith & Wesson 1950 & 1955 revolvers.	7545	2½	230	Lead	810	770	730	335	305	270	1.8"	7.4"	5½"

*Wad Cutter Targetmaster
**Targetmaster

ABBREVIATIONS: S.P.—Soft Point • M.C.—Metal Case • M.P.—Metal Point

REMINGTON CENTER FIRE PISTOL & REVOLVER CARTRIDGES

PISTOL & REVOLVER BULLET TYPES

LEAD GAS-CHECK	Special gas-check heel cap acts as piston ring. Seals gas behind bullet for pile-driver power.	
LEAD	General purpose bullet used for all types of revolver shooting.	
WAD CUTTER	Target shooting lead bullet. Used in Remington 38 "Targetmaster" cartridges.	
WAD CUTTER	Target shooting gilding metal jacket bullet. Used in Remington 45 automatic "Targetmaster" cartridges.	
METAL CASE	Gilding metal jacket bullet. Used in auto-loading pistol and sub-machine gun cartridges.	
METAL POINT	Bullet has lead bearing surface with gilding metal jacket point.	
METAL PENETRATING	Special metal alloy bullet for law enforcement agencies. Bullet penetrates steel, iron and other metals.	

INTERCHANGEABILITY CHART

Cartridges in groups shown below will interchange

RIM FIRE

22 W.R.F.
22 Remington Special
22 Win. M/1890

25 Stevens Short in
25 Stevens but not conversely

32 Short in
32 Long but not conversely

CENTER FIRE

25-20 Win., Marlin, Remington
25-20 Win. and Marlin
25-20 W.C.F.
25-20 Win.
25-20 Win. Hi-Speed
25-20 Marlin

25 Colt Automatic
25 Automatic Pistol
25 (6.35 mm.) Automatic Pistol
6.35 mm. Browning Automatic

30-30 Win., Marlin, Sav.
30-30 Win.
30-30 Marlin
30-30 Win. High Speed (Express)
30 W.C.F.

32 Short Colt in
32 Long Colt but not conversely
SEE NOTE A

32 Colt Automatic
32 Automatic Pistol
32 (7.65 mm.) Automatic Pistol
7.65 mm. Automatic Pistol

32 S. & W. in
32 S. & W. Long but not conversely

32 S. & W. Long
32 Colt New Police
32 Colt Police Positive

32 Win., Marlin, Remington*
32 Win. and Marlin*
32 W.C.F.*
32 Win.*
32-20 Win.*
32-20 Win. High Speed*
32-20 Marlin*
32-20 Colt L.M.R.*
32-20 W.C.F.*
32-20 Win. and Marlin*

38 S. & W.
38 Colt New Police

38 Short Colt in
38 Long Colt but not conversely
Both can be used in
38 Special

38 Colt Special
38 S. & W. Special SEE NOTE B
38 Targetmaster

38 S. & W. Special Mid-Range
38 Special Hi-Speed (†)
38-44 Special (†) SEE NOTE B
38 Special
38 Special Flat Point

38 Win., Marlin, Remington
38 Win.
38 Remington
38-40 Win.
38 W.C.F.

380 Automatic
9 mm. Short (Corto Kurz)
9 mm. Browning Short

9 mm. Luger Automatic Pistol
9 mm. Parabellum

44 S. & W. Special SEE NOTE C
44 Remington Magnum

44 Win., Marlin, Remington
44 Win.
44 Remington
44-40 Win.
44 W.C.F.

45-70 Government
45-70 Marlin
45-70-405

NOTE: *Hi-Speed Cartridges must not be used in Revolvers. They should be used only in rifles made especially for them. Exceptions: items marked (†) are designed especially for the 38-44 S. & W. Revolver and the 38 Colt Shooting Master. Pressure of these two cartridges is safe for lighter guns, but the recoil is likely to be more unpleasant and the frame may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 S. & W. or 32 S. & W. Long.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE C: 44 S. & W. Special can be used in 44 Remington Magnum Revolvers but not conversely.

Remington

Plastic Shotgun Shells

Remington

DUPONT

REMINGTON SHOTGUN SHELLS

"EXPRESS" PLASTIC

Shooters and hunters all over the world who have enthusiastically received the powerful Remington 12 gauge Plastic Shells now are able to choose from a full line of 10, 12, 16, and 20 gauge Remington "Express" loads. These new shells will assure the sportsman he is shooting the finest, most modern shells money can buy. For reach, speed, power, dependability under all conditions, no other shotgun shell measures up to Remington "Express" Plastic Shells.

TYPE OF LOAD	LOAD NO.	GAUGE	LENGTH SHELL INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZES
LONG RANGE LOADS	RX10P	10	2⅞	8		Blank
	SP10	10	2⅞	4¾	1⅝	4
	SP12	12	2¾	3¾	1¼	BB, 2, 4, 5, 6, 7½, 9
	SP16	16	2¾	3	1⅛	4, 5, 6, 7½, 9
	SP16X	16	2¾	3¼	1⅛	4, 5, 6, 7½
	SP20	20	2¾	2¾	1	4, 5, 6, 7½, 9
MAGNUM LOADS	SP10 Mag.	10	3½	5	2	2, 4 (Mag.)
	SP12S Mag.	12	2¾	4	1½	2, 4, 5, 6 (Mag.)
	SP12H Mag.	12	3	4½	1⅞	BB, 2, 4 (Mag.)
	SP12 Mag.	12	3	4¼	1⅝	2, 4, 6 (Mag.)
	SP16C Mag.	16	2¾	3½	1¼	2, 4, 6 (Mag.)
	SP20S Mag.	20	2¾	3	1⅛	2, 4, 6, 7½ (Mag.)
	SP20H Mag.	20	3	3¼	1¼	2, 4, 6, 7½ (Mag.)
BUCKSHOT LOADS	SP12 BK	12	2¾	3¾	—	00 Buck-9 Pellets
	SP12 BK	12	2¾	3¾	—	0 Buck-12 Pellets
	SP12 BK	12	2¾	3¾	—	1 Buck-16 Pellets
	SP12 BK	12	2¾	3¾	—	4 Buck-27 Pellets
	SP16 BK	16	2¾	3	—	1 Buck-12 Pellets
	SP20 BK	20	2¾	2¾	—	3 Buck-20 Pellets
MAGNUM BUCKSHOT LOADS	SP12S Mag. BK	12	2¾	4	—	00 Buck-12 Pellets
	SP12H Mag. BK	12	3	4½	—	00 Buck-15 Pellets
	SP12H Mag. BK	12	3	4½	—	4 Buck-41 Pellets
RIFLED SLUG LOADS	SP12 RS	12	2¾	3¾	1	Rifled Slug
	SP16 RS	16	2¾	3	⅞	Rifled Slug
	SP20 RS	20	2¾	2¾	⅝	Rifled Slug
28-410 GAUGE SHELLS Supplied with Paper Body Only	RX28	28	2¾	2¼	¾	4, 6, 7½, 9†
	RX410	410	2½	—	½	4, 5, 6, 7½, 9†
	RX4103	410	3	—	¾	4, 5, 6, 7½, 9†
	RX410RS	410	2½	—	⅕	Rifled Slug

† 28 Ga. and 410 Ga. 9 Shot marked "Skeet Loads"

NO SHOTGUN SHELLS IN THE WORLD ARE MORE POWERFUL THAN REMINGTON PLASTIC!



"EXPRESS"

The most *Powerful* shells you can buy!

EXCLUSIVE RIB-LOKT CRIMP
Seals out weather . . . Seals in power!

ROUND, HARD SHOT
Perfect game-getting patterns every shot!

EXCLUSIVE POLYETHYLENE BODY
Never scuffs . . . Never swells. Always chambers perfectly.

FINEST PROGRESSIVE-BURNING POWDER
In new plastic shells, stays ballistically stable — factory fresh!

EXCLUSIVE BASE WAD
Hydraulically formed in the shell under 7½ tons per-square-inch pressure.

STRONG METAL HEAD
Gives extra strength . . . plus corrosion resistance!

EXCLUSIVE "KLEANBORE" PRIMING
The famous non-corrosive priming that keeps your barrel bright and clean!

Shaken for hours in a rain-soaked hunting jacket.
After this abuse, there was no sign of scuffing or swelling and when test-fired the shells functioned perfectly with full game-getting power. Add to all this, exclusive "Kleanbore" priming for split-second ignition, and shooters have a shell they know they can depend on.

REMINGTON SHOTGUN SHELLS

"SHUR SHOT" PLASTIC

The all-new Remington plastic "Shur Shot" shells are available in 12, 16 and 20 gauges.
For generations of shooters, "Shur Shot" shells have been the favorite low base field load. Now available in plastic, these famous loads have added built-in features available in no other low base shells.
Remember, when you want extra quality at no extra cost, new "Shur Shot" plastic loads feature slick feeding, transparent body, strong "Rib-Lokt" crimp, one piece base wad, exclusive "Kleanbore" priming. All for the same price as paper.

TYPE OF LOAD	LOAD NUMBER	GAUGE	LENGTH OF SHELL IN INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZES
FIELD LOADS	R12L	12	2¾	3	1	4, 5, 6, 8
	R12M	12	2¾	3	1⅛	4, 5, 6, 8, 9
	R12H	12	2¾	3¼	1⅛	4, 5, 6, 7½, 8, 9
	†ST12H	12	2¾	3¼	1¼	7½, 8
	†NST12H	12	2¾	3¼	1¼	7½, 8 (Nickel)
	R16	16	2¾	2½	1	4, 5, 6, 8, 9
	R16H	16	2¾	2¾	1⅛	4, 5, 6, 7½, 8, 9
	R20	20	2¾	2¼	⅞	4, 5, 6, 8, 9
	R20M	20	2¾	2½	1	4, 5, 6, 7½, 8, 9
	† Paper Shells, ST12H may also be used where heavier trap loads are permissible					
SCATTER LOADS	RSL12	12	2¾	3	1⅛	8
	RSL16	16	2¾	2½	1	8
	RSL20	20	2¾	2¼	⅞	8

PLASTIC TRAP & SKEET LOADS with "POWER PISTON"

NEW PRIMER

Sensitive, new "Kleanbore" #97 Star primer is large-size, fits all 12 gauge Remington plastic and competitive trap and skeet loads. Especially designed for trap and skeet for split-second ignition.

NEW PLASTIC BODIES

Tough, all-plastic wad and body seal in power . . . keep it where it belongs, behind the shot. No power loss. No swelling or scuffing. Remington plastic bodies proven in millions of rounds of field loads.

The Exclusive "POWER PISTON"

A one-piece lightweight plastic wad and shot container cushions the shot, reduces recoil and results in target-breaking patterns at all shooting distances.

The "Power Piston" gives the shot a perfect start . . . prevents pattern-ruining shot deformation two ways. First, by completely eliminating contact with the metal of the barrel. Secondly, the exclusive "cushion" at the bottom absorbs the initial shock of firing . . . avoids violent jamming of the pellets against each other. And because the "Power Piston" weighs less than other wad columns, you get less recoil. With less weight to push out of the barrel — plus the cushioning effect — your gun does not come back as hard.

	INDEX NUMBERS	GAUGE	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZE
12 GAUGE TRAP & SKEET LOADS WITH "POWER PISTON"	RP12L	12	2¾	1⅛	7½, 8, 9
	RP12M	12	3	1⅛	7½, 8, 9
12, 16, 20 GAUGE TARGET LOADS WITH "H" WAD	TR12L	12	2¾	1⅛	7½, 8, 9
	TR12M	12	3	1⅛	7½, 8, 9
	TR16	16	2½	1	9
	TR20	20	2¼	⅞	9
PAPER TRAP & SKEET LOADS WITH "POWER PISTON"	STP12L	12	2¾	1⅛	7½, 8, 9
	STP12M	12	3	1⅛	7½, 8, 9

Comparative Sizes

SHOT	APPROX. PELLETS IN 1 OZ.	2385	585	410	350	225	170	135	90	50
	DIAM. IN INCHES	.05	.08	.09	.09½	.11	.12	.13	.15	.18
	NUMBER	12	9	8	7½	6	5	4	2	BB

BUCKSHOT	APPROX. PELLETS IN 1 LB.	340	300	175	145	130
	DIAM. IN INCHES	.24	.25	.30	.32	.33
	NUMBER	4	3	1	0	00

SUGGESTED SHOT SIZES FOR GAME

	REMINGTON SHELL	SHOT SIZE	SUGGESTED CHOKES	WHAT EXPERIENCED HUNTERS SAY . . .
DUCKS	"Express"	4, 5, 6	**Full**—For Pass Shooting **Modified**—Over Decoys	Use No. 4 shot for long range and pass shooting. For normal range — No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys.
GEESE	"Express"	BB, 2, 4	**Full**	Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys.
PHEASANTS	"Express"	5, 6	**Modified or Full**—For Long Cornfield Shots	For cornfield shooting where long shots are usual — better use No. 5. On a normal rise over dogs and for all around use No. 6 is the favorite. Bigger shot may be dangerous when hunting in large groups.
GROUSE OR PARTRIDGE	"Express" or "Shur Shot"	5, 6 7½, 8	**Improved Cylinder or Modified**—For Brush Work **Full**—For Open Ranges	On the smaller birds such as ruffed grouse or Hungarian Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and larger shot.
QUAIL	"Shur Shot"	7½, 8, 9	**Improved Cylinder or Modified**	For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used.
DOVES & PIGEONS	"Shur Shot" or "Express"	6, 7½, 8	**Modified**	You can do a good job on mourning doves at normal ranges with the lighter loads and No. 7½ or No. 8 shot — but for longer ranges use the heavy loads and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings.
WOODCOCK	"Shur Shot"	7½, 8, 9	**Improved Cylinder or Modified**	Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice.
RABBITS	"Shur Shot" or "Express"	4, 5, 6	**Improved Cylinder or Modified**—For Brush **Full**—For Long Open Shots	For cottontail rabbits at normal range, the lighter loads are suitable, but for larger game such as jack rabbits and snow shoe rabbits use heavy loads.
SQUIRRELS	"Express"	5, 6	**Modified**	Most hunters use 5's or 6's and prefer the heavy loads particularly in the tall timber.
RAIL	"Shur Shot"	7½, 8, 9	**Improved Cylinder**	For the little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail.
TURKEY	"Express"	BB, 2, 4 5, 6, 7½	**Full**	Choice of shot size depends on your range. If you're a good caller No. 6 or No. 7½ shot makes a clean kill. BB's, No. 2's, 4's and 5's are best for long shots.
FOX	"Express"	BB, 2	**Full**	It's a toss-up between BB's and No. 2 shot. But remember — the smaller the shot, the denser the pattern.
DEER, BLACK BEAR & WOLF	"Express"	Rifled Slug and Buck Shot	For rifled slugs . . . any choke may be used Full choke for buckshot loads	For deer and black bear 12 and 16 gauge slugs are the best. 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot.

Powerful REMINGTON "HI-SPEED" 22s

with famous "golden" bullets

"MICRO-PERFECT" BULLET, produced from lead selected for highest quality, made for perfect mesh with rifling of the barrel!

SPECIAL LUBRICATION protects the rifling of the barrel!

NEWEST SMOKELESS POWDER for maximum power — contributes to uniformly fine accuracy — flat trajectory — long range smash!

STRONG HARD BRASS CASE, uniformly crimped for consistently accurate shooting!

"KLEANBORE" NON-CORROSIVE PRIMING provides split-second ignition.

STANDARD VELOCITY 22s

For shorter-range hunting, and for informal target shooting or plinking where fine accuracy is necessary, Remington Standard Velocity 22s are an excellent choice. Available in short and long rifle sizes. In all Remington ammunition you get the original and exclusive world-famed "Kleanbore" priming to keep your gun barrel bright and clean. For instant ignition and corrosion prevention shoot Remington "Kleanbore" 22s . . . the best friend your rifle ever had.

PENETRATION POWER

See how a Remington "Hi-Speed" 22 solid-point bullet rips through seven 7/8-inch pine boards. What penetration power!

SHOCK POWER

Laundry soap is **blasted** by Remington "Hi-Speed" hollow point bullet. Terrific wallop for hunting pests.

MATCH 22 LONG RIFLE AMMUNITION

The new Remington Match 22s have design and performance features never before available in match ammunition. They have a new bullet shape micro-measured for consistency, with superb wind-bucking qualities — a new silicone-base lubricant that makes it unnecessary to clean barrels between stages — a new "Kleanbore" priming mixture that insures longer barrel accuracy life — and a new close-tolerance brass case with new rim shape for improved ignition. Small-bore shooters who want the finest can depend on the Remington Model 40X target rifle and Remington Match ammunition to give proof of precision in scores!

All With Exclusive "Kleanbore" Priming!

REMINGTON
22 RIM FIRE CARTRIDGES

	INDEX NO.	BULLET WEIGHT-GRS.	BULLET STYLE	VELOCITY — FT. PER SECOND MUZZLE	VELOCITY — FT. PER SECOND 100 YDS.	ENERGY — FOOT POUNDS MUZZLE	ENERGY — FOOT POUNDS 100 YDS.	MID-RANGE TRAJECTORY INS.-100 YDS.	
22 SHORT Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.	1022 1122	29 27	Lead H.P.	1125 1155	920 920	81 80	54 51	4.3 4.2	HI-SPEED
22 LONG Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.	1322	29	Lead	1240	965	99	60	3.8	
22 LONG RIFLE Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.	1522 1622	40 36	Lead H.P.	1335 1365	1045 1040	158 149	97 86	3.3 3.3	
22 W.R.F. (REMINGTON SPECIAL) Adapted to Remington 120S, 121S, and Winchester 1890 rifles; Remington, Winchester and Stevens single shot rifles; also Colt revolvers.	1822	45	Lead	1450	1110	210	123	2.7	
22 SHORT Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.	5522	29	Lead	1045	810	70	—	—	STANDARD VELOCITY
22 SHORT GALLERY "SPATTER-LESS" "Spatter-Less" cartridges are especially designed for shooting gallery use. Adapted to single shot, repeating, and autoloading rifles, revolvers, and pistols.	5722 6722•	29 15	Lead Comp.	1045 1710	— —	70 97	— —	— —	
22 LONG RIFLE Adapted to single shot, repeating and autoloading rifles, revolvers and pistols.	6122	40	Lead	1145	975	116	84	4.0	
22 WIN. AUTOMATIC Adapted to Winchester Model 03 automatic rifle.	7522	45	Lead	1055	930	111	86	4.6	
22 LONG RIFLE (RIFLE MATCH) A super accurate cartridge designed especially for match rifles.	6622	40	Lead	—	—	—	—	—	MATCH
22 LONG RIFLE (PISTOL MATCH) The new superbly accurate cartridge designed especially for target pistol shooting.	6822	40	Lead	—	—	—	—	—	
22 SHOT CARTRIDGE Adapted to smooth bore rifles.	9322	#12 Shot	—	—	—	—	—	—	SHOT
22 SHORT Loaded with special powder insuring loud report.	9022	—	—	—	—	—	—	—	BLANKS
38 SMITH & WESSON also available in: **32 SMITH & WESSON** **38 SPECIAL**	9238 9032 9538	— — —	— — —	— — —	— — —	— — —	— — —	— — —	
5 IN 1 For use in 38-40, 44-40 rifles and 38-40, 44-40 and 45 Colt revolvers.	9005	—	—	—	—	—	—	—	

ABBREVIATIONS: H.P. — Hollow Point • Comp. — Composition

•New and Improved

REMINGTON
Trap & Skeet
EQUIPMENT

MODEL M100T FOR TRAP

1 Remington autoloading trap with ½ HP motor, 60 cycle, 115 volts, and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.



REMINGTON AUTOLOADING TRAP

- Labor-saving *(no trap boy needed)*
- Large capacity (203 targets)
- Easy loading, stack at a time
- Connects to 110 volt wiring system
- No tools required
- Makes commercial gun clubs profitable!



MODEL A200S FOR SKEET

2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 80 feet of wire. 2 power control boxes. 1 connection box.

REMINGTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.

REMINGTON "WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Remington Electric release.

REMINGTON "BLUE ROCK" TARGETS

The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!



REMINGTON TARGET THROWER

All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

Remington, Wingmaster, Power-Matic, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Matchmaster, Fieldmaster, Scoremaster, Sportmaster, Targetmaster, Target, Power Piston, Shur Shot, Core-Lokt, Blue Rock, Expert, Wonder, Kleanbore, Brushmaster and Jet are trademarks registered in the United States Patent Office. XP-100, Fire Ball, Rib-Lokt, Express, Nylon 10, Nylon 11, Nylon 12, Nylon 66, Nylon 76, Hi-Speed, Golden, H wad and Spatter-less are trademarks of Remington Arms Company, Inc., Bridgeport 2, Conn. Zytel is a registered trademark of E. I. du Pont de Nemours & Co. for nylon resins.

REMINGTON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.

MANUAL RELEASE for "Wonder" or "Blue Rock" Outfits

Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to electric operation.

~~1965~~
1964

REMINGTON "Express" PLASTIC SHELLS

Remington "Express" plastic shells come in all 10, 12, 16 and 20 gauge high-base loads, even buckshot and rifled slugs. And they provide hunting advantages unmatched by any other shells in the world! Maximum knockdown power, regardless of choke or gauge. That's because Remington's plastic wad in an all-plastic body seals in power completely . . . keeps it where it belongs, behind the shot. No swelling or scuffing, regardless of weather conditions. Only plastic shells are waterproof and weatherproof. That means no more jammed actions, no more soggy, wasted shells. Trouble-free feeding, regardless of type of gun. Only plastic shells are self-lubricating. That means they feed slicker and faster — in any action. Speed up that second shot.

REMINGTON "Shur Shot" PLASTIC SHELLS

For generations of shooters, "Shur Shot" shells have been the favorite low base field load. Available in 12, 16 and 20 gauge, these famous loads have added built-in features available in no other low base shells. Remember, when you want extra quality at no extra cost, new "Shur Shot" plastic loads feature slick feeding, transparent body, strong "Rib-Lokt" crimp, one piece hydraulically formed base wad, exclusive "Kleanbore" priming. All for the same price as paper. Keep full power longer than any other shells. Ordinary paper shells can lose power when not used immediately. Remington's all-plastic body seals in factory-fresh power.

NO SHOTGUN SHELLS IN THE WORLD ARE MORE POWERFUL THAN REMINGTON PLASTIC!

Remington

DUPONT

REMINGTON ARMS COMPANY, INC., BRIDGEPORT, CONNECTICUT 06602
In Canada: Remington Arms of Canada Limited, 36 Queen Elizabeth Blvd., Toronto 18, Ontario.
Printed in U.S.A.
AA-10